





PGAP12 - May 2017

# Product Price Guide



Roof Ventilation  
Roof Drainage  
Roofing Sheets  
Rooflights  
Flat Glazing  
Cladding  
Accessories

**This price list supersedes all previous issues.** All goods sold are subject to our standard Terms and Conditions of Sale (available on request from the Sales Office). Ariel Plastics Ltd reserves the right to amend specifications without prior notice.

Reproduction of all or any part of this publication, unless authorised in writing by Ariel Plastics Ltd, will be a breach of copyright.

### Carrier Deliveries

Customers requiring a chargeable Next Day carrier service must submit their orders before 12:00 midday. Please note that carriers will not take goods longer than 4 metres and wider than 1 metre. Although we expect the carrier to deliver on a next day service, carriers are increasingly unable to guarantee this on all occasions.

### Terms & Conditions

Please provide full delivery address with postcode, contact name and telephone numbers and details of any site restrictions which may affect delivery.

### Ordering

When ordering please clearly state Product Code, Description and Quantity. 48 hour Mardome deliveries must be placed by 2pm. All other orders must be received by 4.00pm.

### Prices

Irrespective of any prices stated on your orders, the prices charged by Ariel Plastics will be list prices less your agreed customer discount. List Prices exclude VAT.

### Non Price List Products

Any goods not stated on the price list will be subject to extended lead times and a minimum order value of £225.00 net. These products are all non-returnable.

### Cut To Size

Cut to size is a bespoke product and therefore non-returnable.

### Cutting Charge

We reserve the right to apply a cutting charge for complicated or large cutting requests. Please contact the customer services department for details.

### Quotations

Quotations will normally be processed within 24 hours. Earlier processing may be available on request. Complicated and structural quotations can take up to 48 hours to be fully processed.

### Cancelled Orders

We reserve the right to charge up to £25.00 for any orders cancelled after the order cut off time to cover administration and/or delivery costs. Cancelled orders must be notified in writing before cut off time. Cut off time is 16:00 hrs.

### Minimum Order Charges

Orders under £225.00 net will be subject to a £25.00 delivery charge.

### Site Deliveries

Site deliveries are subject to a minimum order value of £225.00 and a one off charge of £25.00 (mainland GB only).

### 48hr Mardome Orders

Orders must be received by Ariel Plastics by 2pm. 48hr delivery is only available to mainland GB (excluding postcode areas beginning KW, IV, AB and PH). All Mardome returns must be in a re-saleable condition and will be subject to a 50% restocking charge.

### Fixing Guides

Available to download from [www.arielplastics.com](http://www.arielplastics.com)

### Collection

Goods may only be collected by prior arrangement.

### Notification of Claims



The seller shall be entitled to reject any claim for DEFECTIVE goods unless such a claim is notified in writing to the Seller within 48 hours of delivery, or, if the alleged defect is not immediately apparent, within such longer period as the seller may reasonably allow in the circumstances. Mardome roof domes are bespoke items and will incur a 50% restocking charge if cancelled or returned. Returns must be in a re-saleable condition.

The Seller shall be entitled to reject any claim for SHORTAGES of the goods unless such claim is notified to the Seller in writing within 48 hours of the date of delivery of any consignment in which it is said a shortage has occurred. Upon collection of goods, the Seller shall be entitled to credit goods only which are deemed resaleable. The Seller will notify the Buyer within 48 hours of any rejections or discrepancies. It is recommended that orders are checked for completeness and defective parts before installation work commences. Failure to do so may affect the claim.



☎ 01246 281111  
 ✉ info@arielplastics.com  
 🏠 **arielplastics.com**

## Contents

<b>ROOF VENTILATION &amp; DRAINAGE</b>	Roof Ventilation	04
	Universal Ridge System	08
	Dry Hip Systems	09
	Roof Drainage	10
	Flashing	13
	Roofing Membranes	14
<b>ROOFLINE</b>	Roofline	16
<b>ROOFING SHEET</b>	Multiwall Polycarbonate Sheet	20
	Self Supporting Roofing System	34
	Multiwall Polycarbonate Cut to Size	36
	Corrugated Polycarbonate	40
	Corrugated Multiwall Polycarbonate	41
	PVC Sheet	42
	Corrugated Bitumen	46
	Metal Roofing System	49
	 Corrugated Galvanised Sheet	50
	Bituminous Tile Strip	52
GRP Sheet	54	
Flat Glazing	56	
<b>ROOFLIGHTS</b>	 Polycarbonate Dome Rooflights	60
	Flat Glass Rooflights	70
<b>CLADDING &amp; PROTECTIVE SHEET</b>	PVC Cladding	72
	Covershield	74

# Corovent

Roof Ventilation

## SLATE, TILE AND RIDGE VENTILATION

An extensive range of **Corovent** Slate, Tile and Ridge ventilation products have been specially designed to eliminate the risk of condensation.


A comprehensive range of tile vents are available to match most roof tiles, with specials available on short lead times. Our tile matching service ensures that Corovent will always blend in discreetly with existing tiles, even on a weathered roof.

\*Not suitable for roofs less than 20° pitch

## EAVES VENTILATION

The wide range of eaves ventilation products and accessories can eliminate condensation by providing adequate airflow in the roof void, and avoids damage to the eaves and roof-felt finishing.

- Maintenance free
- Corrosion and rot resistant
- Strong and flexible



Our tile matching service ensures the Corovent will blend in with existing roof tiles.









## Roof Vents PG72/76/77

	Code	PG	Disc	Cowl Vents	Qty	Price £
	CV10K	072	780	Cowl Vent - ventilation area 10,000mm <sup>2</sup> including felt sleeve	1	37.31
	CV20K	072	780	Cowl Vent - ventilation area 20,000mm <sup>2</sup> including felt sleeve	1	39.63
	CP10K	072	780	As CV10K but including a 110mm Pipe Adaptor	1	42.04
	CP20K	072	780	As CV20K but including a 110mm Pipe Adaptor	1	55.49
	CT1C	076	780	110mm dia flexi-tube including clips	1	25.81
	CTIE	076	780	110mm PVC Coated flexi-tube including clips (1m length)	1	8.51
	CT3E	076	780	110mm PVC Coated flexi-tube including clips (3m length)	1	22.63
FW1	072	780	Felt weir	1	1.95	
	Code	PG	Disc	Roofline Vents (when ordering state whether slate or tile version)	Qty	Price £
	RV10K	072	780	Roofline vent for slate or interlocking tiles 10,000mm <sup>2</sup> vent area (includes felt weir)	1	77.64
	RP10K	072	780	As RV10K but fitted with a 110mm dia pipe adaptor	1	89.01
	COA1	072	780	110mm dia. outlet can be cut to provide 125mm dia sections	1	13.18
	RV8K	072	780	Roofline vents for plain tiles 8000mm <sup>2</sup> ventilation area	1	35.06
	RP8K	072	780	As RV8K but including a 110mm dia pipe adaptor	1	41.44
	NSA110	072	780	110mm dia adaptor to site convert RV8K to RP8K	1	8.33
UNI/SLATE	077	780	Slate Universal Vent 8000mm <sup>2</sup> ventilation area	1	37.34	
	Code	PG	Disc	Economy Vents	Qty	Price £
	HV1	076	780	7200mm <sup>2</sup> vent area: 600x300mm slates	10	15.12
	HV2	076	780	7200mm <sup>2</sup> vent area: 500x250mm slates	10	15.12
	HP1*	077	780	Vent terminal for 600x300mm slates	1	40.81
HP2*	077	780	Vent terminal for 500x250mm slates	1	40.81	
	Code	PG	Disc	Ridgeline Vents	Qty	Price £
	TV3N	072	780	Ridge vent 12,500mm <sup>2</sup> vent area, suits most concrete & clay ridges	1	77.64
	TV31N	072	780	As TV3N with fitted extension sleeve	1	85.96
	TV3SN-110	072	780	As TV3N with fitted extension sleeve incl. 110mm dia pipe adaptor	1	90.21
	TV3SN-125	072	780	As TV3N with fitted extension sleeve incl. 125mm dia pipe adaptor	1	90.21
	NES	072	780	Narrow extension sleeve for short ridge vent less than 400mm long	1	8.33
	WES	072	780	Wide extension sleeve for standard ridge vent more than 400mm long	1	8.33
	WSA110	072	780	110mm dia adaptor for wide extension sleeve	1	8.33
WSA125	072	780	125mm dia adaptor for wide extension sleeve for passive vent system	1	8.33	


When ordering tile vents please state manufacturer, tile and colour for matching purposes.

\*Includes soil pipe adaptor & flexi-tube.





**Eaves Ventilation**

	Code	PG	Disc	Product Description	Qty	Price £
	CF1	077	780	1m Eaves Comb Filler	300	0.51
	FT60	077	780	Eaves Fascia Tray 600mm long	50	1.67
	FT150	077	780	Eaves Fascia Tray 1500mm long	10	3.03
	RT50	077	780	6M Roll 300mm Wide Rafter Tray	10	8.10
	RT66	077	780	Rafter Tray Continuous 6m long roll 400mm wide, provides 25mm per LM air gap to fit common rafter spacings 600, 450, 400mm	4	10.81
	10RT66	077	780	Rafter Tray Continuous 6m long roll 400mm wide, provides 25mm per LM air gap to fit common rafter spacings 600, 450, 400mm	10	10.81
	RT99	077	780	6M Roll 600mm Wide Rafter Tray	20	16.20
	RT132	077	780	Rafter Tray as above but 800mm wide, for low pitched roofs	4	21.60
	8RT132	077	780	Rafter Tray as above but 800mm wide, for low pitched roofs	8	21.60




**Eaves & Fascia Ventilation**

	Code	PG	Disc	Eaves Ventilation	Qty	Price £
	RT60	077	780	600mm Single Rafter Tray - provides 10mm per LM air gap	50	1.07
	RT41	077	780	400mm Single Rafter Tray - for warm roofs or roofs below 15° pitch - provides 25mm per LM air gap	50	1.19
	RF60	077	780	600mm Single Flyscreen Rafter Trays - provides 10mm per LM air gap	50	2.16
	RF40	077	780	400mm Single Flyscreen Rafter Trays - provides 10mm per LM air gap	50	1.86
	RR46	077	780	Refurbishment Rafter Tray (48cm Long x 35cm Wide)	50	2.02
	Code	PG	Disc	Overfascia Vents	Qty	Price £
	OV10	077	780	Low profile - 1m x 10mm air gap	50	1.28
	FV10	077	780	Heavy duty - 1m x 10mm air gap	50	2.88
	FV25	077	780	Heavy duty - 1m x 25mm air gap	50	3.52

## Eaves Ventilation Kits

	Code	PG	Disc	Eaves Ventilation Kits	Qty	Price £
	HK1	077	780	Complete 6m eaves ventilation to provide 10mm per LM air gap comprising of 1 continuous rafter tray 400mm wide, 6 over fascia vents and 10 eaves fascia trays	1	49.13
	HK21	077	780	Extra wide 6m eaves ventilation to provide 10mm per LM air gap comprising of 1 continuous rafter tray 800mm wide, 6 over fascia vents and 10 eaves fascia trays	1	53.77
	HK2	077	780	Complete 6m eaves ventilation to provide 25mm per LM air gap comprising of 1 continuous rafter tray 400mm wide, 6 over fascia vents and 10 eaves fascia trays	1	76.02
	HK22	077	780	Extra wide 6m eaves ventilation to provide 25mm per LM air gap comprising of 1 continuous rafter tray 800mm wide, 6 over fascia vents and 10 eaves fascia trays	1	86.42

## Soffit Vents

	Code	PG	Disc	Soffit Vents	Qty	Price £
	SD20W	077	780	Disc vent 2000mm <sup>2</sup> ventilation area - white (80mm dia.)	50	0.50
	SD20B	077	780	Disc vent 2000mm <sup>2</sup> ventilation area - black (80mm dia.)	50	0.50
	SD20BR	077	780	Disc vent 2000mm <sup>2</sup> ventilation area - brown (80mm dia.)	50	0.50
	SV10W	077	780	10mm continuous air gap - each 2.44m long - white	10	4.93
	SV10B	077	780	10mm continuous air gap - each 2.44m long - black	10	4.93
	SV10BR	077	780	10mm continuous air gap - each 2.44m long - brown	10	4.93
	SV25W	077	780	Continuous strip 25mm per LM air gap 2.44m long - white	10	8.98
	SV25BR	077	780	Continuous strip 25mm per LM air gap 2.44m long - brown	10	8.98

# Corovent URS

Universal Ridge System



Corovent Universal Ridge is designed to provide a totally dry fixed and weathertight ridge that is fast and simple to install. Every ridge unit is mechanically fixed eliminating the need for mortar completely.

- Unique jointing system for versatility
- Accommodates most known ridge tiles
- Can be used with both half round & angled ridges
- Dry fix is the fastest way to install ridge tiles
- No wet trades needed
- Smooth line providing a discreet appearance



The Corovent dry fix system is supplied as a complete system with all components to fix 6m of ridge.

## Universal Dry Fix Ridge System (vented)

Code	PG	Disc	Product Description	Outer Qty	Price £
URS6/B	071	780	6m Dry Fix Ridge System (6m Rollout Tray, 13 x Unions, 13 x Ridge Brackets, Fixing Kit, Metal Clamps)	1	75.71
URS6/RT	071	780	Dry Fix Roll Out Tray 6m x 300mm	1	39.04
URS6/USB	071	780	Dry Fix Union including Fixings (pack of 13)	1	35.75

Designed for standard ridge tiles at 450mm width.



# Corovent DHS

Dry Hip System



Corovent DHS provides a mechanically fixed, weathertight and attractive finish to the hip line without the use of mortar bedding. The Corovent DHS is fully compatible with Corovent URS Dry Ridge System.

- Quick & easy to install
- No special tools required
- Mortar free
- UV stable
- Water resistant

## Component List

- 1 x Hip Roll (6m length)
- 6 x Hip Support Tray (1.1m length)
- 13 Dry Fix Union Including Fixings
- 30 x Tile Ties
- 16 x 75mm x 4.8mm s/s screws
- 3 x Sealing Washers
- 40 x 25mm x 3.5mm s/s ARS nails



The Corovent dry fix system is supplied as a complete system with all components to fix 6m of hip.

## Dry Hip System

Code	PG	Disc	Product Description	Colour	Price £
UHS6/B	071	780	6m dry hip fixing system	Black	131.03

## Support Tray

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
UHS6/HST	71	790	PVC Hip Support Tray 1m	236	1000	8.47
HST16	71	790	PVC Hips Support Tray 1m (Pack of 6)	236	1000	24.24
HST3	71	790	GRP Hips Support Tray 3m	236	3000	18.30


# Corodrain

Roof Drainage



The **Corodrain** range of BBA approved valley troughs are manufactured in GRP as an economic and durable alternative to using lead and all conform to NFRC Technical Bulletin 28.

Corodrain valley troughs can be used on both slate and tiled roofs and with any combination of double or interlocking slates, clay or concrete tiles. Corodrain can also provide a weatherproof seal between roofs of terraced houses or where a new roof needs to join an existing roof.



- A cost effective alternative to lead
- More resistant to damage and theft
- Maintenance free
- UV light and acid rain resistant
- Smooth finish inhibits growth of moss or build up of debris
- Significant reduction in installation time
- ISO 9001 & BBA Approved
- Largest range of lengths available





D-Valleys	A-Valleys	B-Valleys	Unequal Pitches	Dry Valleys
Standard Corodrain valley troughs for use with single and double lap tiles. Both standard (type:HD) and heavy duty (type:DX). They incorporate sanded strips (min. width 35mm) for the mortar to bond to.	Narrow Corodrain valley troughs for use with single and double lap tiles in limited applications. Both standard (type:HA) and heavy duty (type:AX). They incorporate sanded strips (min. width 35mm) for the mortar to bond to.	Standard Corodrain valley troughs for use with double lap slates and tiles, which are dry bedded. Both standard (type:HB) and heavy duty.	B & D-Valleys are designed for use where the differential between two rafter pitches is 15° or less. Industry standards recommend A-Valleys should only be used for pitch differences of 10° or less.	Dry fix valley trough completely eliminates risk of water coming into contact with the batten. No wet trades are required so it can be fitted in any weather. No clips needed, reducing time and hassle on site.


## Corodrain Standard Range

	Code	PG	Disc	Valley Trough (BBA Approved)	Outer Qty	Price £
 A Type	<b>Standard Weight - 360mm width (1.83kg/m<sup>2</sup>)</b>					
	HA30	078	790	A type 3m long universal	10	21.65
	HA24	078	790	A type 2.4m long universal	10	17.31
 B Type	HA18	078	790	A type 1.8m long universal	10	13.21
	HB30	078	790	B type 3m long slate	10	21.65
	HB24	078	790	B type 2.4m long slate	10	17.31
 E Type	HB18	078	790	B type 1.8m long slate	10	13.21
	HE30	078	790	E type 3m std valley trough (1.66kg/m <sup>2</sup> )	10	19.48
	HE24	078	790	E type 2.4m std valley trough (1.66kg/m <sup>2</sup> )	10	15.59
 D Type	HE18	078	790	E type 1.8m std valley trough (1.66kg/m <sup>2</sup> )	10	11.90
	<b>Standard Weight - 410mm width (1.83kg/m<sup>2</sup>)</b>					
	HD30	078	790	D type 3m long universal	10	25.10
 BD30	HD24	078	790	D type 2.4m long universal	10	20.05
	HD18	078	790	D type 1.8m long universal	10	15.07
	<b>Heavy Weight - 360mm width (2.44kg/m<sup>2</sup>)</b>					
 DX30	AX30	078	790	A type 3m universal heavy weight	10	38.96
	AX24	078	790	A type 2.4m universal heavy weight	10	31.17
 DX24	<b>Heavy Weight - 410mm width (2.44kg/m<sup>2</sup>)</b>					
	DX30	078	790	D type 3m universal heavy weight	10	43.69
 DD30	DX24	078	790	D type 2.4m universal heavy weight	10	34.95
	<b>Diamond 60 - (2.44kg/m<sup>2</sup>)</b>					
 BD30	BD30	078	790	B type 3m diamond 60 slate	10	48.46
	DD30	078	790	D type 3m diamond 60 universal	10	51.09

	Code	PG	Disc	Joining Gutter	Outer Qty	Price £
 HC30	HC30	078	790	3m long joining gutter	10	21.65
	HC24	078	790	2.4m long joining gutter	10	17.31
	HC18	078	790	1.8m long joining gutter	10	13.21

	Code	PG	Disc	Abutment Soaker	Outer Qty	Price £
 AS30	AS30	078	790	3m long abutment soaker	10	39.63
	AS30L	078	790	3m long abutment soaker lipped	10	43.19

	Code	PG	Disc	Slate Starter Strip	Outer Qty	Price £
 US30	US30	077	790	3m long universal slate starter strip	10	35.28



105mm upstand

80mm upstand

55mm upstand

**Traditional Dry Fix Valley**

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
DVU30DW105	71	790	Traditional Dry Fix Valley - 105mm Upstand	370	3000	46.00
DVU30DW80	71	790	Traditional Dry Fix Valley - 80mm Upstand	370	3000	46.00
DVU30DW55	71	790	Traditional Dry Fix Valley - 55mm Upstand	370	3000	46.00




110mm upstand

90mm upstand

70mm upstand

**Universal Dry Fix Valley**

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
DVU30HW110	71	790	Dry Fix Valley Heavyweight - 110mm Upstand	280	3000	61.00
DVU30SW110	71	790	Dry Fix Valley Standard - 110mm Upstand	280	3000	39.00
DVU30HW90	71	790	Dry Fix Valley Heavyweight - 90mm Upstand	280	3000	61.00
DVU30SW90	71	790	Dry Fix Valley Standard - 90mm Upstand	280	3000	39.00
DVU30HW70	71	790	Dry Fix Valley Heavyweight - 70mm Upstand	280	3000	61.00
DVU30SW70	71	790	Dry Fix Valley Standard - 70mm Upstand	280	3000	39.00



100mm upstand

70mm upstand

**Universal Dry Fix Joining Gutter**

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
DBG30HW100	71	790	Dry Joining Gutter Heavyweight 100mm Upstand	280	3000	58.00
DBG30HW70	71	790	Dry Joining Gutter Heavyweight 70mm Upstand	280	3000	58.00

Code	PG	Disc	Product Description	Price £
DVBRACKET	71	790	Dry Valley Support Bracket Galvanised (pack of 5)	14.55
DVCLIP	71	790	Dry Valley Tile Clips (pack of 20)	41.00

# Corodrain LRF

Lead Replacement Flashing

Lead free  
flashing

**Corodrain LRF** Lead Replacement Flashing is an economical and safe alternative to lead. Suitable for use in applications where lead has been traditionally installed to provide a watertight seal. It is used in masonry applications where there could be a risk of water ingress at joints typically on the roof but also on porches, walls, doors and windows.

- Economic alternative to lead
- Rollable and self-sealing
- Quick and easy to install
- 100% waterproof



## Lead Replacement Flashing

Code	PG	Disc	Product Description	Colour	Width mm	Length mm	Price £
LRF1505G	71	780	150mm Lead Replacement Flashing - Flat	Graphite	150	5000	27.10
LRF3005G	71	780	300mm Lead Replacement Flashing - Flat	Graphite	300	5000	50.00
LRF4005G	71	780	400mm Lead Replacement Flashing - Flat	Graphite	400	5000	66.65
LRP1505G	71	780	150mm Lead Replacement Flashing - Profiled	Graphite	150	5000	33.33
LRP3005G	71	780	300mm Lead Replacement Flashing - Profiled	Graphite	300	5000	62.50
LRP4005G	71	780	400mm Lead Replacement Flashing - Profiled	Graphite	400	5000	83.33

# Vapour Permeable Roofing Underlay

**harcon**  
VPU

Harcon VPU is a range of premium quality underlays with superb vapour permeability. The membranes are specifically designed to allow the ready transfer of water vapour to reduce the risk of condensation in the roof void.

- Taped and non-taped sheet weight options
- Excellent resistance to water penetration
- Superb water vapour transmission properties
- BBA certified
- Exceptional nail and tear strength
- Complies with BS5534:2014 and the Construction Products Directive (89/106/EEC) underlays for discontinuous roofing



## Permeable Roofing Underlay

Code	PG	Disc	Product Description	Colour	Width mm	Length m	Pallet Qty	Price £
VPU100DL	79	780	Vapour Permeable Underlay 125g	Blue	1000	50	36	118.26
VPU150DL	79	780	Vapour Permeable Underlay 125g	Blue	1500	50	33	177.38
VPU100DL92	79	780	Vapour Permeable Underlay 92g	Black	1000	50	49	82.50
VPU150DL92	79	780	Vapour Permeable Underlay 92g	Black	1500	50	46	123.75
VPU100DL208	79	780	Vapour Permeable Underlay 208g	Grey	1000	50	25	232.50
VPU150DL208	79	780	Vapour Permeable Underlay 208g	Grey	1500	50	25	348.75
VPUTAPE25	79	780	VPU Membrane Tape	-	40	25	-	43.75
VPU100STAPE	79	780	Vapour Permeable Underlay 125g Single Tape	Blue	1000	50	36	124.35
VPU150STAPE	79	780	Vapour Permeable Underlay 125g Single Tape	Blue	1500	50	33	186.50
VPU100STAPEI02	79	780	Vapour Permeable Underlay 102g Single Tape	Grey	1000	50	36	97.50

# Non Permeable Roofing Underlay

**harcon**  
**NPU**



- BBA certified for both warm & cold roofs
- Entirely watertight
- Excellent nail and tear strength
- Complies with BS5534:2014



## Non Permeable Underlay

Code	PG	Disc	Product Description	Width mm	Pallet Qty	Price £
NPU145	79	780	Non Permeable Underlay - 45m Roll	1000	49 rolls	76.38

# Corovent DVS


Dry Verge System



Designed to provide a simple, secure method of mechanically fixing verge tiles. Reduces the risk of wind damage and water penetration.


- 100% weatherproof for ultimate protection
- Manufactured from UV stabilised and recyclable polypropylene
- Grey and Brown colour options which blend with the roof
- Compatible with a large range of interlocking concrete tiles between 280mm - 345mm gauge
- Quick and easy to fix, no special tools required
- Allows all weather fixing
- Saves on time and labour
- Provides that added finish when used with PVC fascias and soffits





### Dry Verge System New Build

Code	PG	Disc	Product Description	Colour	Outer Qty	Price £
NB-EFVG-LH	071	780	Dry Verge Left Hand	Grey	10	3.34
NB-EFVG-RH	071	780	Dry Verge Right Hand	Grey	10	3.34
NB-EFVB-LH	071	780	Dry Verge Left Hand	Brown	10	3.34
NB-EFVB-RH	071	780	Dry Verge Right Hand	Brown	10	3.34
NB-RCG-A	071	780	Ridge Cap Angled	Grey	1	7.03
NB-RCB-A	071	780	Ridge Cap Angled	Brown	1	7.03
NB-RCG-HR	071	780	Ridge Cap Half Round	Grey	1	7.03
NB-RCB-HR	071	780	Ridge Cap Half Round	Brown	1	7.03
NB-SPG	071	780	Starter Piece	Grey	1	3.20
NB-SPB	071	780	Starter Piece	Brown	1	3.20



### Dry Verge System Retro Fit

Code	PG	Disc	Product Description	Colour	Outer Qty	Price £
EFVG-LH	071	780	Dry Verge Left Hand	Grey	10	3.34
EFVG-RH	071	780	Dry Verge Right Hand	Grey	10	3.34
EFVB-LH	071	780	Dry Verge Left Hand	Brown	10	3.34
EFVB-RH	071	780	Dry Verge Right Hand	Brown	10	3.34
RCG-A	071	780	Ridge Cap Angled	Grey	1	7.03
RCB-A	071	780	Ridge Cap Angled	Brown	1	7.03
RCG-HR	071	780	Ridge Cap Half Round	Grey	1	7.03
RCB-HR	071	780	Ridge Cap Half Round	Brown	1	7.03
SPG	071	780	Starter Piece	Grey	1	3.20
SPB	071	780	Starter Piece	Brown	1	3.20

# Corovent CDV

Continuous Dry Verge



Choice of  
R and S  
Profiles

Manufactured from weatherable uPVC, the **Corovent Continuous Dry Verge** provides a watertight, secure, mortar-free, single piece verge system. It is suitable for concrete, clay, interlocking and plain tiles.

- Single piece product
- Dry fix mortar free solution
- Manufactured from UV stabilised uPVC
- 100% waterproof
- Available in a choice of profiles and colour options

**Download Tile Compatibility**  
from [www.arielplastics.com](http://www.arielplastics.com)

#### COLOURS AVAILABLE

- > White
- > Black
- > Anthracite Grey
- > Brown

#### PROFILES AVAILABLE

- > R Profile
- > S Profile



Corovent CDV offers a maintenance free, clean and attractive finish.

**Continuous Dry Verge R Profile**

Code	PG	Disc	Product Description	Colour	Width mm	Length mm	Price £
CDVRB5	71	780	Continuous Dry Verge (R Profile)	Black	110	5000	60.00
CDVRBR5	71	780	Continuous Dry Verge (R Profile)	Brown	110	5000	74.75
CDVRG5	71	780	Continuous Dry Verge (R Profile)	Anthracite Grey	110	5000	74.75
CDVRW5	71	780	Continuous Dry Verge (R Profile)	White	110	5000	60.00
CDVRCB	71	780	Straight Connector (R Profile)	Black	40	120	8.60
CDVRCBR	71	780	Straight Connector (R Profile)	Brown	40	120	8.60
CDVRCG	71	780	Straight Connector (R Profile)	Anthracite Grey	40	120	8.60
CDVRCW	71	780	Straight Connector (R Profile)	White	40	120	8.60
CDVRPB	71	780	Ridge End Cap (R Profile)	Black	130	180	11.50
CDVRPBR	71	780	Ridge End Cap (R Profile)	Brown	130	180	11.50
CDVRPG	71	780	Ridge End Cap (R Profile)	Anthracite Grey	130	180	11.50
CDVRPW	71	780	Ridge End Cap (R Profile)	White	130	180	11.50

**Continuous Dry Verge S Profile**

Code	PG	Disc	Product Description	Colour	Width mm	Length mm	Price £
CDVSB5	71	780	Continuous Dry Verge (S Profile)	Black	60	5000	36.75
CDVSBR5	71	780	Continuous Dry Verge (S Profile)	Brown	60	5000	57.20
CDVSG5	71	780	Continuous Dry Verge (S Profile)	Anthracite Grey	60	5000	57.20
CDVSW5	71	780	Continuous Dry Verge (S Profile)	White	60	5000	36.75
CDVSCB	71	780	Straight Connector (S Profile)	Black	30	70	5.75
CDVSCBR	71	780	Straight Connector (S Profile)	Brown	30	70	5.75
CDVSCG	71	780	Straight Connector (S Profile)	Anthracite Grey	30	70	5.75
CDVSCW	71	780	Straight Connector (S Profile)	White	30	70	5.75
CDVSPB	71	780	Ridge End Cap (S Profile)	Black	110	140	11.50
CDVSPBR	71	780	Ridge End Cap (S Profile)	Brown	110	140	11.50
CDVSPG	71	780	Ridge End Cap (S Profile)	Anthracite Grey	110	140	11.50
CDVSPW	71	780	Ridge End Cap (S Profile)	White	110	140	11.50

# Corotherm

Polycarbonate Insulating Roofing Sheet



Watch the installation

**VIDEO** 

[arielplastics.com](http://arielplastics.com)

**Corotherm multiwall polycarbonate sheet is a lightweight impact resistant glazing and roofing material.**

- Range of tints, thicknesses & sheet sizes
- Very strong and resistant to impact
- Fire rated 'Class 1' for safety
- Minimum condensation risk
- UV protected for durability
- Largely self-cleaning
- Guaranteed 10 year warranty

Ideal wherever heat insulation, reduced condensation, or simply a more attractive glazing material is required.

## TINTS AVAILABLE

- > Clear
- > Bronze
- > Opal
- > Bronze Opal
- > Heatguard Opal

## APPLICATIONS

- > Conservatories
- > Extensions
- > Car Ports
- > Porches
- > Swimming Pool Covers

Whether you are installing a veranda, canopy or carport **Corotherm multiwall polycarbonate sheet is the ideal choice**. This lightweight impact resistant glazing material is easy to handle, cut and install. For use in projects around the home and garden, Corotherm sheets are available in a range of thicknesses in light transmitting and solar controlling tints.

## KEY INSTALLATION POINTS

Make sure UV protected side of sheet is facing outwards.

Allow minimum of 10° roof slope for water drainage.

The Ariel purlin supported glazing bar (for glazing bar base and cap see page 32) should be supported at intervals no greater than 1500mm.

Rafter glazing bars should be fully supported by rafters.

The lines of the flutes on the sheet must only run from the top to the bottom of the slope. They cannot be run from side to side.

Sheets cannot be joined top to bottom.

Glazing bars/F section cannot be joined - must be used as a continuous section.

When using F section run a suitable low-modulus silicone sealant down the inner top face of the enclosure before inserting sheet.



## Energy Efficiency - Relative U-Values\*

Sheet Thickness (mm)	Corotherm	Single Glass	Double Glass	Argon Filled Cavity
6 (Twinwall)	3.7	5.7	2.65	1.6
10 (Twinwall)	3.2	5.6	2.65	1.6
16 (Triplewall)	2.4	5.4	2.65	1.6
25 (Sevenwall)	1.4	-	2.65	1.6

## ACCESSORIES



Rafter Glazing Bar Cap & Base  
 Glazing Bar Base  
 Glazing Bar End Cap  
 Glazing Bar Cap  
 Side Flashing  
 Roof Ventilator  
 End Cap  
 Fixing Button  
 Breather Tape  
 Aluminium Sealing Tape



### 4mm Clear Twinwall

4mm for side cladding only, not suitable for roofing

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76880	030	762	Corotherm Clear Twinwall Sheet	610	1220	14.43
76881	030	762	Corotherm Clear Twinwall Sheet	1220	1200	8.41

### 6mm Clear Twinwall

6mm for side cladding only, not suitable for roofing

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76265	030	762	Corotherm Clear Twinwall Sheet	1050	6000	121.00
76160	030	762	Corotherm Clear Twinwall Sheet	2100	6000	242.03

### 10mm Clear Twinwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76104	030	763	Corotherm Clear Twinwall Sheet	700	2000	38.82
76523	030	763	Corotherm Clear Twinwall Sheet	700	2500	48.53
76100	030	763	Corotherm Clear Twinwall Sheet	700	3000	58.25
76238	030	763	Corotherm Clear Twinwall Sheet	700	4000	77.66
76525	030	763	Corotherm Clear Twinwall Sheet	700	6000	116.48
76624	030	763	Corotherm Clear Twinwall Sheet	900	2000	49.93
76610	030	763	Corotherm Clear Twinwall Sheet	900	2500	62.38
76664	030	763	Corotherm Clear Twinwall Sheet	900	3000	74.88
76607	030	763	Corotherm Clear Twinwall Sheet	900	4000	99.83
76608	030	763	Corotherm Clear Twinwall Sheet	900	6000	149.75
76653	030	763	Corotherm Clear Twinwall Sheet	980	2000	54.36
76650	030	763	Corotherm Clear Twinwall Sheet	980	2500	67.95
76654	030	763	Corotherm Clear Twinwall Sheet	980	3000	81.54
76655	030	763	Corotherm Clear Twinwall Sheet	980	4000	108.70
76652	030	763	Corotherm Clear Twinwall Sheet	980	6000	163.07
76215	030	763	Corotherm Clear Twinwall Sheet	1050	2000	58.25
76218	030	763	Corotherm Clear Twinwall Sheet	1050	2500	72.81
76230	030	763	Corotherm Clear Twinwall Sheet	1050	3000	87.36
76245	030	763	Corotherm Clear Twinwall Sheet	1050	4000	116.48
76260	030	763	Corotherm Clear Twinwall Sheet	1050	6000	174.71
76782	030	763	Corotherm Clear Twinwall Sheet	1220	2000	67.66
76697	030	763	Corotherm Clear Twinwall Sheet	1220	2500	84.58
76790	030	763	Corotherm Clear Twinwall Sheet	1220	3000	101.49
76820	030	763	Corotherm Clear Twinwall Sheet	1220	4000	135.33
76764	030	763	Corotherm Clear Twinwall Sheet	1220	6000	203.01

## 10mm Clear Twinwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76637	030	763	Corotherm Clear Twinwall Sheet	1600	2000	88.74
76331	030	763	Corotherm Clear Twinwall Sheet	1600	2500	110.93
76645	030	763	Corotherm Clear Twinwall Sheet	1600	3000	133.11
76625	030	763	Corotherm Clear Twinwall Sheet	1600	4000	177.47
76307	030	763	Corotherm Clear Twinwall Sheet	1600	6000	266.24
76170	030	763	Corotherm Clear Twinwall Sheet	2100	2000	116.48
76520	030	763	Corotherm Clear Twinwall Sheet	2100	2500	145.60
76185	030	763	Corotherm Clear Twinwall Sheet	2100	3000	174.71
76200	030	763	Corotherm Clear Twinwall Sheet	2100	4000	232.95
76155	030	763	Corotherm Clear Twinwall Sheet	2100	6000	349.43

## 10mm Bronze Twinwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76216	030	765	Corotherm Bronze Twinwall Sheet	1050	2000	61.15
76231	030	765	Corotherm Bronze Twinwall Sheet	1050	3000	91.73
76246	030	765	Corotherm Bronze Twinwall Sheet	1050	4000	122.33
76261	030	765	Corotherm Bronze Twinwall Sheet	1050	6000	183.49
76171	030	765	Corotherm Bronze Twinwall Sheet	2100	2000	122.33
76186	030	765	Corotherm Bronze Twinwall Sheet	2100	3000	183.49
76201	030	765	Corotherm Bronze Twinwall Sheet	2100	4000	244.65
76156	030	765	Corotherm Bronze Twinwall Sheet	2100	6000	366.98

## 16mm Clear Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76876	030	764	Corotherm Clear Triplewall Sheet	610	2000	50.36
76849	030	764	Corotherm Clear Triplewall Sheet	610	2500	62.95
76874	030	764	Corotherm Clear Triplewall Sheet	610	3000	75.54
76898	030	764	Corotherm Clear Triplewall Sheet	610	4000	100.71
76899	030	764	Corotherm Clear Triplewall Sheet	610	6000	151.06
76709	030	764	Corotherm Clear Triplewall Sheet	700	2000	57.78
76543	030	764	Corotherm Clear Triplewall Sheet	700	2500	72.22
76103	030	764	Corotherm Clear Triplewall Sheet	700	3000	86.68
76251	030	764	Corotherm Clear Triplewall Sheet	700	4000	115.57
76105	030	764	Corotherm Clear Triplewall Sheet	700	6000	173.32



## 16mm Clear Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76630	030	764	Corotherm Clear Triplewall Sheet	800	2000	66.05
76364	030	764	Corotherm Clear Triplewall Sheet	800	2500	82.55
76679	030	764	Corotherm Clear Triplewall Sheet	800	3000	99.07
76286	030	764	Corotherm Clear Triplewall Sheet	800	4000	132.08
76900	030	764	Corotherm Clear Triplewall Sheet	800	6000	198.10
76671	030	764	Corotherm Clear Triplewall Sheet	900	2000	74.29
76639	030	764	Corotherm Clear Triplewall Sheet	900	2500	92.87
76613	030	764	Corotherm Clear Triplewall Sheet	900	3000	111.45
76620	030	764	Corotherm Clear Triplewall Sheet	900	4000	148.59
76612	030	764	Corotherm Clear Triplewall Sheet	900	6000	222.86
76659	030	764	Corotherm Clear Triplewall Sheet	980	2000	80.89
76656	030	764	Corotherm Clear Triplewall Sheet	980	2500	101.10
76660	030	764	Corotherm Clear Triplewall Sheet	980	3000	121.35
76661	030	764	Corotherm Clear Triplewall Sheet	980	4000	161.81
76658	030	764	Corotherm Clear Triplewall Sheet	980	6000	242.70
76210	030	764	Corotherm Clear Triplewall Sheet	1050	2000	86.68
76521	030	764	Corotherm Clear Triplewall Sheet	1050	2500	108.34
76225	030	764	Corotherm Clear Triplewall Sheet	1050	3000	130.03
76240	030	764	Corotherm Clear Triplewall Sheet	1050	4000	173.32
76255	030	764	Corotherm Clear Triplewall Sheet	1050	6000	260.02
76841	030	764	Corotherm Clear Triplewall Sheet	1220	2000	100.71
76766	030	764	Corotherm Clear Triplewall Sheet	1220	2500	125.86
76715	030	764	Corotherm Clear Triplewall Sheet	1220	3000	151.06
76769	030	764	Corotherm Clear Triplewall Sheet	1220	4000	201.42
76758	030	764	Corotherm Clear Triplewall Sheet	1220	6000	302.12
76621	030	764	Corotherm Clear Triplewall Sheet	1600	2000	132.07
76674	030	764	Corotherm Clear Triplewall Sheet	1600	2500	165.10
76616	030	764	Corotherm Clear Triplewall Sheet	1600	3000	198.12
76614	030	764	Corotherm Clear Triplewall Sheet	1600	4000	264.17
76316	030	764	Corotherm Clear Triplewall Sheet	1600	6000	396.22
76165	030	764	Corotherm Clear Triplewall Sheet	2100	2000	173.32
76540	030	764	Corotherm Clear Triplewall Sheet	2100	2500	216.70
76180	030	764	Corotherm Clear Triplewall Sheet	2100	3000	260.02
76195	030	764	Corotherm Clear Triplewall Sheet	2100	4000	346.70
76150	030	764	Corotherm Clear Triplewall Sheet	2100	6000	520.07





### 16mm Bronze Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76918	030	766	Corotherm Bronze Triplewall Sheet	610	2000	52.89
76919	030	766	Corotherm Bronze Triplewall Sheet	610	2500	66.10
76845	030	766	Corotherm Bronze Triplewall Sheet	610	3000	79.31
77112	030	766	Corotherm Bronze Triplewall Sheet	610	4000	105.75
77073	030	766	Corotherm Bronze Triplewall Sheet	610	6000	158.61
76234	030	766	Corotherm Bronze Triplewall Sheet	700	2000	60.69
76707	030	766	Corotherm Bronze Triplewall Sheet	700	2500	75.84
76183	030	766	Corotherm Bronze Triplewall Sheet	700	3000	91.00
76239	030	766	Corotherm Bronze Triplewall Sheet	700	4000	121.35
76106	030	766	Corotherm Bronze Triplewall Sheet	700	6000	182.03
76871	030	766	Corotherm Bronze Triplewall Sheet	800	2000	69.33
76867	030	766	Corotherm Bronze Triplewall Sheet	800	2500	86.67
76846	030	766	Corotherm Bronze Triplewall Sheet	800	3000	104.00
76792	030	766	Corotherm Bronze Triplewall Sheet	800	4000	138.67
76971	030	766	Corotherm Bronze Triplewall Sheet	800	6000	208.03
76852	030	766	Corotherm Bronze Triplewall Sheet	900	2000	78.02
76746	030	766	Corotherm Bronze Triplewall Sheet	900	2500	97.52
76755	030	766	Corotherm Bronze Triplewall Sheet	900	3000	117.01
76796	030	766	Corotherm Bronze Triplewall Sheet	900	4000	156.02
76635	030	766	Corotherm Bronze Triplewall Sheet	900	6000	234.03
76756	030	766	Corotherm Bronze Triplewall Sheet	980	2000	84.93
76213	030	766	Corotherm Bronze Triplewall Sheet	980	2500	106.19
76761	030	766	Corotherm Bronze Triplewall Sheet	980	3000	127.43
76767	030	766	Corotherm Bronze Triplewall Sheet	980	4000	169.88
77183	030	766	Corotherm Bronze Triplewall Sheet	980	6000	254.84
76211	030	766	Corotherm Bronze Triplewall Sheet	1050	2000	91.00
76248	030	766	Corotherm Bronze Triplewall Sheet	1050	2500	113.76
76226	030	766	Corotherm Bronze Triplewall Sheet	1050	3000	136.51
76241	030	766	Corotherm Bronze Triplewall Sheet	1050	4000	182.03
76256	030	766	Corotherm Bronze Triplewall Sheet	1050	6000	273.04
76768	030	766	Corotherm Bronze Triplewall Sheet	1220	2000	105.75
77074	030	766	Corotherm Bronze Triplewall Sheet	1220	2500	132.18
76704	030	766	Corotherm Bronze Triplewall Sheet	1220	3000	158.61
76754	030	766	Corotherm Bronze Triplewall Sheet	1220	4000	211.49
77236	030	766	Corotherm Bronze Triplewall Sheet	1220	6000	317.24



### 16mm Bronze Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76786	030	766	Corotherm Bronze Triplewall Sheet	1600	2000	138.67
76757	030	766	Corotherm Bronze Triplewall Sheet	1600	2500	173.37
76789	030	766	Corotherm Bronze Triplewall Sheet	1600	3000	208.03
77115	030	766	Corotherm Bronze Triplewall Sheet	1600	4000	277.37
76743	030	766	Corotherm Bronze Triplewall Sheet	1600	6000	416.04
76166	030	766	Corotherm Bronze Triplewall Sheet	2100	2000	182.03
76214	030	766	Corotherm Bronze Triplewall Sheet	2100	2500	227.54
76181	030	766	Corotherm Bronze Triplewall Sheet	2100	3000	273.04
76178	030	766	Corotherm Bronze Triplewall Sheet	2100	4000	364.05
76151	030	766	Corotherm Bronze Triplewall Sheet	2100	6000	546.07

### 16mm Opal Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
76934	030	766	Corotherm Opal Triplewall Sheet	610	2000	52.89
77375	030	766	Corotherm Opal Triplewall Sheet	610	2500	66.10
77053	030	766	Corotherm Opal Triplewall Sheet	610	3000	79.31
77080	030	900	Corotherm Opal Triplewall Sheet	610	4000	105.75
606116OH	030	766	Corotherm Opal Triplewall Sheet	610	6000	158.61
76742	030	766	Corotherm Opal Triplewall Sheet	700	2000	60.69
77262	030	766	Corotherm Opal Triplewall Sheet	700	2500	75.84
76233	030	766	Corotherm Opal Triplewall Sheet	700	3000	91.00
77082	030	766	Corotherm Opal Triplewall Sheet	700	4000	121.35
607016OH	030	766	Corotherm Opal Triplewall Sheet	700	6000	182.03
76793	030	766	Corotherm Opal Triplewall Sheet	800	2000	69.33
77018	030	766	Corotherm Opal Triplewall Sheet	800	2500	86.67
77266	030	766	Corotherm Opal Triplewall Sheet	800	3000	104.00
76954	030	766	Corotherm Opal Triplewall Sheet	800	4000	138.67
77187	030	766	Corotherm Opal Triplewall Sheet	800	6000	208.03
77113	030	766	Corotherm Opal Triplewall Sheet	900	2000	78.02
76873	030	766	Corotherm Opal Triplewall Sheet	900	2500	97.52
76972	030	766	Corotherm Opal Triplewall Sheet	900	3000	117.01
77184	030	766	Corotherm Opal Triplewall Sheet	900	4000	156.02
609016OH	030	766	Corotherm Opal Triplewall Sheet	900	6000	234.03



# Corotherm

## 16mm Opal Triplewall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
77086	030	766	Corotherm Opal Triplewall Sheet	980	2000	84.93
77119	030	766	Corotherm Opal Triplewall Sheet	980	2500	106.19
76810	030	766	Corotherm Opal Triplewall Sheet	980	3000	127.43
76981	030	766	Corotherm Opal Triplewall Sheet	980	4000	169.88
77281	030	766	Corotherm Opal Triplewall Sheet	980	6000	254.84
76212	030	766	Corotherm Opal Triplewall Sheet	1050	2000	91.00
77027	030	766	Corotherm Opal Triplewall Sheet	1050	2500	113.76
76227	030	766	Corotherm Opal Triplewall Sheet	1050	3000	136.51
76242	030	766	Corotherm Opal Triplewall Sheet	1050	4000	182.03
76257	030	766	Corotherm Opal Triplewall Sheet	1050	6000	273.04
76994	030	766	Corotherm Opal Triplewall Sheet	1220	2000	105.75
77191	030	766	Corotherm Opal Triplewall Sheet	1220	2500	132.18
76847	030	766	Corotherm Opal Triplewall Sheet	1220	3000	158.61
77195	030	766	Corotherm Opal Triplewall Sheet	1220	4000	211.49
76676	030	766	Corotherm Opal Triplewall Sheet	1220	6000	317.24
77088	030	766	Corotherm Opal Triplewall Sheet	1600	2000	138.67
77224	030	766	Corotherm Opal Triplewall Sheet	1600	2500	173.37
77081	030	766	Corotherm Opal Triplewall Sheet	1600	3000	208.03
77208	030	766	Corotherm Opal Triplewall Sheet	1600	4000	277.37
77149	030	766	Corotherm Opal Triplewall Sheet	1600	6000	416.04
76167	030	766	Corotherm Opal Triplewall Sheet	2100	2000	182.03
76727	030	766	Corotherm Opal Triplewall Sheet	2100	2500	227.54
76182	030	766	Corotherm Opal Triplewall Sheet	2100	3000	273.04
79196	030	766	Corotherm Opal Triplewall Sheet	2100	4000	364.05
76152	030	766	Corotherm Opal Triplewall Sheet	2100	6000	546.07



# Corotherm

## 25mm Clear Sevenwall



Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255CH	030	900	Corotherm Clear Sheet	700	2000	74.93
2570255CH	030	900	Corotherm Clear Sheet	700	2500	93.67
3070255CH	030	900	Corotherm Clear Sheet	700	3000	112.41
4070255CH	030	900	Corotherm Clear Sheet	700	4000	149.86
6070255CH	030	900	Corotherm Clear Sheet	700	6000	224.78
2080255CH	030	900	Corotherm Clear Sheet	800	2000	85.63
2580255CH	030	900	Corotherm Clear Sheet	800	2500	107.06
3080255CH	030	900	Corotherm Clear Sheet	800	3000	128.45
4080255CH	030	900	Corotherm Clear Sheet	800	4000	171.28
6080255CH	030	900	Corotherm Clear Sheet	800	6000	256.91
2090255CH	030	900	Corotherm Clear Sheet	900	2000	96.34
2590255CH	030	900	Corotherm Clear Sheet	900	2500	120.42
3090255CH	030	900	Corotherm Clear Sheet	900	3000	144.49
4090255CH	030	900	Corotherm Clear Sheet	900	4000	192.68
6090255CH	030	900	Corotherm Clear Sheet	900	6000	289.02
2010255CH	030	900	Corotherm Clear Sheet	1050	2000	112.41
2510255CH	030	900	Corotherm Clear Sheet	1050	2500	140.49
3010255CH	030	900	Corotherm Clear Sheet	1050	3000	168.60
4010255CH	030	900	Corotherm Clear Sheet	1050	4000	224.78
6010255CH	030	900	Corotherm Clear Sheet	1050	6000	337.19
2016255CH	030	900	Corotherm Clear Sheet	1600	2000	171.28
2516255CH	030	900	Corotherm Clear Sheet	1600	2500	214.07
3016255CH	030	900	Corotherm Clear Sheet	1600	3000	256.91
4016255CH	030	900	Corotherm Clear Sheet	1600	4000	342.54
6016255CH	030	900	Corotherm Clear Sheet	1600	6000	513.82
2021255CH	030	900	Corotherm Clear Sheet	2100	2000	224.78
2521255CH	030	900	Corotherm Clear Sheet	2100	2500	281.00
3021255CH	030	900	Corotherm Clear Sheet	2100	3000	337.19
4021255CH	030	900	Corotherm Clear Sheet	2100	4000	449.58
6021255CH	030	900	Corotherm Clear Sheet	2100	6000	674.39

# Corotherm

## 25mm Bronze Sevenwall



Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255BH	030	901	Corotherm Bronze Sheet	700	2000	78.68
2570255BH	030	901	Corotherm Bronze Sheet	700	2500	98.35
3070255BH	030	901	Corotherm Bronze Sheet	700	3000	118.02
4070255BH	030	901	Corotherm Bronze Sheet	700	4000	157.35
6070255BH	030	901	Corotherm Bronze Sheet	700	6000	236.04
2080255BH	030	901	Corotherm Bronze Sheet	800	2000	89.91
2580255BH	030	901	Corotherm Bronze Sheet	800	2500	112.41
3080255BH	030	901	Corotherm Bronze Sheet	800	3000	134.87
4080255BH	030	901	Corotherm Bronze Sheet	800	4000	179.83
6080255BH	030	901	Corotherm Bronze Sheet	800	6000	269.75
2090255BH	030	901	Corotherm Bronze Sheet	900	2000	101.16
2590255BH	030	901	Corotherm Bronze Sheet	900	2500	126.43
3090255BH	030	901	Corotherm Bronze Sheet	900	3000	151.73
4090255BH	030	901	Corotherm Bronze Sheet	900	4000	202.34
6090255BH	030	901	Corotherm Bronze Sheet	900	6000	303.48
2010255BH	030	901	Corotherm Bronze Sheet	1050	2000	118.02
2510255BH	030	901	Corotherm Bronze Sheet	1050	2500	147.53
3010255BH	030	901	Corotherm Bronze Sheet	1050	3000	177.02
4010255BH	030	901	Corotherm Bronze Sheet	1050	4000	236.04
6010255BH	030	901	Corotherm Bronze Sheet	1050	6000	354.06
2016255BH	030	901	Corotherm Bronze Sheet	1600	2000	179.83
2516255BH	030	901	Corotherm Bronze Sheet	1600	2500	224.78
3016255BH	030	901	Corotherm Bronze Sheet	1600	3000	269.75
4016255BH	030	901	Corotherm Bronze Sheet	1600	4000	359.67
6016255BH	030	901	Corotherm Bronze Sheet	1600	6000	539.51
2021255BH	030	901	Corotherm Bronze Sheet	2100	2000	236.04
2521255BH	030	901	Corotherm Bronze Sheet	2100	2500	295.06
3021255BH	030	901	Corotherm Bronze Sheet	2100	3000	354.06
4021255BH	030	901	Corotherm Bronze Sheet	2100	4000	472.07
6021255BH	030	901	Corotherm Bronze Sheet	2100	6000	708.11



# Corotherm

## 25mm Opal Sevenwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255OH	030	901	Corotherm Opal Sheet	700	2000	78.68
2570255OH	030	901	Corotherm Opal Sheet	700	2500	98.35
3070255OH	030	901	Corotherm Opal Sheet	700	3000	118.02
4070255OH	030	901	Corotherm Opal Sheet	700	4000	157.35
6070255OH	030	901	Corotherm Opal Sheet	700	6000	236.04
2080255OH	030	901	Corotherm Opal Sheet	800	2000	89.91
2580255OH	030	901	Corotherm Opal Sheet	800	2500	112.41
3080255OH	030	901	Corotherm Opal Sheet	800	3000	134.87
4080255OH	030	901	Corotherm Opal Sheet	800	4000	179.36
6080255OH	030	901	Corotherm Opal Sheet	800	6000	269.75
2090255OH	030	901	Corotherm Opal Sheet	900	2000	101.16
2590255OH	030	901	Corotherm Opal Sheet	900	2500	126.43
3090255OH	030	901	Corotherm Opal Sheet	900	3000	151.73
4090255OH	030	901	Corotherm Opal Sheet	900	4000	202.34
6090255OH	030	901	Corotherm Opal Sheet	900	6000	303.48
2010255OH	030	901	Corotherm Opal Sheet	1050	2000	118.02
2510255OH	030	901	Corotherm Opal Sheet	1050	2500	147.53
3010255OH	030	901	Corotherm Opal Sheet	1050	3000	177.02
4010255OH	030	901	Corotherm Opal Sheet	1050	4000	236.04
6010255OH	030	901	Corotherm Opal Sheet	1050	6000	354.06
2016255OH	030	901	Corotherm Opal Sheet	1600	2000	179.83
2516255OH	030	901	Corotherm Opal Sheet	1600	2500	224.78
3016255OH	030	901	Corotherm Opal Sheet	1600	3000	269.75
4016255OH	030	901	Corotherm Opal Sheet	1600	4000	359.67
6016255OH	030	901	Corotherm Opal Sheet	1600	6000	539.51
2021255OH	030	901	Corotherm Opal Sheet	2100	2000	236.04
2521255OH	030	901	Corotherm Opal Sheet	2100	2500	295.06
3021255OH	030	901	Corotherm Opal Sheet	2100	3000	354.06
4021255OH	030	901	Corotherm Opal Sheet	2100	4000	472.07
6021255OH	030	901	Corotherm Opal Sheet	2100	6000	708.11

# Corotherm

## 25mm Bronze Opal Sevenwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255BOH	030	902	Corotherm Bronze Opal Sheet	700	2000	86.19
2570255BOH	030	902	Corotherm Bronze Opal Sheet	700	2500	107.71
3070255BOH	030	902	Corotherm Bronze Opal Sheet	700	3000	129.27
4070255BOH	030	902	Corotherm Bronze Opal Sheet	700	4000	172.35
6070255BOH	030	902	Corotherm Bronze Opal Sheet	700	6000	258.51
2010255BOH	030	902	Corotherm Bronze Opal Sheet	1050	2000	129.27
2510255BOH	030	902	Corotherm Bronze Opal Sheet	1050	2500	161.58
3010255BOH	030	902	Corotherm Bronze Opal Sheet	1050	3000	193.87
4010255BOH	030	902	Corotherm Bronze Opal Sheet	1050	4000	258.51
6010255BOH	030	902	Corotherm Bronze Opal Sheet	1050	6000	387.77
2021255BOH	030	902	Corotherm Bronze Opal Sheet	2100	2000	258.51
2521255BOH	030	902	Corotherm Bronze Opal Sheet	2100	2500	323.14
3021255BOH	030	902	Corotherm Bronze Opal Sheet	2100	3000	387.77
4021255BOH	030	902	Corotherm Bronze Opal Sheet	2100	4000	517.03
6021255BOH	030	902	Corotherm Bronze Opal Sheet	2100	6000	775.55

## 25mm Heatguard Opal Sevenwall

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
2070255HOH	030	902	Corotherm Heatguard Opal Sheet	700	2000	86.19
2570255HOH	030	902	Corotherm Heatguard Opal Sheet	700	2500	107.71
3070255HOH	030	902	Corotherm Heatguard Opal Sheet	700	3000	129.27
4070255HOH	030	902	Corotherm Heatguard Opal Sheet	700	4000	172.35
6070255HOH	030	902	Corotherm Heatguard Opal Sheet	700	6000	258.51
2010255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	2000	129.27
2510255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	2500	161.58
3010255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	3000	193.87
4010255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	4000	258.51
6010255HOH	030	902	Corotherm Heatguard Opal Sheet	1050	6000	387.77
2021255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	2000	258.51
2521255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	2500	323.14
3021255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	3000	387.77
4021255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	4000	517.03
6021255HOH	030	902	Corotherm Heatguard Opal Sheet	2100	6000	775.55

**Accessories Multiwall polycarbonate**



Code	PG	Disc	Rafter Glazing Bar Kit (for 10/16mm sheet only)	Colour	Length mm	Price £
76486	045	761	Rafter Glazing bar cap, base & end cap	White	3000	43.05
76551	045	761	Rafter Glazing bar cap, base & end cap	White	4000	56.65
BSYT	045	761	Rafter Glazing bar cap, base & end cap	White	6000	83.81
76964	045	761	Rafter Glazing bar cap, base & end cap	Brown	3000	46.19
76965	045	761	Rafter Glazing bar cap, base & end cap	Brown	4000	60.44
BFTY	045	761	Rafter Glazing bar cap, base & end cap	Brown	6000	89.02
Code	PG	Disc	Aluminium Purlin Supported Glazing Bar Base (10/16mm sheets only)	Colour	Length mm	Price £
76118	045	761	Glazing bar base - used with cap	Alumin.	3000	35.41
76119	045	761	Glazing bar base - used with cap	Alumin.	4000	47.19
76347	045	761	Glazing bar base - used with cap	Alumin.	6000	70.77
Code	PG	Disc	PVC Purlin Supported Glazing Bar Top Cap (10/16mm sheets only)	Colour	Length mm	Price £
76110	045	761	Glazing bar cap - used with base	White	3000	15.60
76111	045	761	Glazing bar cap - used with base	White	4000	20.80
76348	045	761	Glazing bar cap - used with base	White	6000	31.17
76460	045	761	Glazing bar cap - used with base	Brown	3000	20.57
76461	045	761	Glazing bar cap - used with base	Brown	4000	27.41
76468	045	761	Glazing bar cap - used with base	Brown	6000	41.14
Code	PG	Disc	Rafter Glazing Bar Kit (10/16/25mm sheet)	Colour	Length mm	Price £
BHPO	045	761	Glazing bar cap & base - with end cap	White	3000	55.47
BHPR	045	761	Glazing bar cap & base - with end cap	White	4000	73.43
BHOR	045	761	Glazing bar cap & base - with end cap	White	6000	109.53
BJOP	045	761	Glazing bar cap & base - with end cap	Brown	3000	57.60
BYTO	045	761	Glazing bar cap & base - with end cap	Brown	4000	76.35
BGTY	045	761	Glazing bar cap & base - with end cap	Brown	6000	113.57
Code	PG	Disc	Side Flashing	Colour	Length mm	Price £
76112	045	761	10mm Side Flashing	White	3000	13.68
76113	045	761	10mm Side Flashing	White	4000	18.22
76346	045	761	10mm Side Flashing	White	6000	27.33
76342	045	761	10mm Side Flashing	Brown	3000	17.12
76343	045	761	10mm Side Flashing	Brown	4000	22.77
76466	045	761	10mm Side Flashing	Brown	6000	34.17
76114	045	761	16mm Side Flashing	White	3000	13.68
76115	045	761	16mm Side Flashing	White	4000	18.22
76341	045	761	16mm Side Flashing	White	6000	27.33
76463	045	761	16mm Side Flashing	Brown	3000	17.12
76464	045	761	16mm Side Flashing	Brown	4000	22.77
76465	045	761	16mm Side Flashing	Brown	6000	34.17





## Accessories Multiwall polycarbonate

Code	PG	Disc	Side Flashing	Colour	Length mm	Price £
BCOS	045	761	25mm Side Flashing	White	3000	20.90
BMOJ	045	761	25mm Side Flashing	White	4000	27.73
BGVV	045	761	25mm Side Flashing	White	6000	41.40
BYKZ	045	761	25mm Side Flashing	Brown	3000	22.77
BHSS	045	761	25mm Side Flashing	Brown	4000	30.40
BPWP	045	761	25mm Side Flashing	Brown	6000	45.45
Code	PG	Disc	Sheet End Cap	Colour	Length mm	Price £
76123	045	761	6mm Sheet End Cap - pack of 2	Clear	2100	12.99
76116	045	761	10mm Sheet End Cap - pack of 2	White	2100	12.99
76462	045	761	10mm Sheet End Cap - pack of 2	Brown	2100	16.53
76117	045	761	16mm Sheet End Cap - pack of 2	White	2100	12.99
76467	045	761	16mm Sheet End Cap - pack of 2	Brown	2100	16.53
BRBP	045	761	25mm Sheet End Cap - pack of 2	White	2100	18.35
BRTU	045	761	25mm Sheet End Cap - pack of 2	Brown	2100	20.15
Code	PG	Disc	Glazing Bar End Cap	Colour	Length	Price £
76489	045	761	10/16mm Glazing Bar End Cap	White	-	2.24
76490	045	761	10/16mm Glazing Bar End Cap	Brown	-	3.35
BEFT	045	761	25mm Glazing Bar End Cap	White	-	2.24
BUZT	045	761	25mm Glazing Bar End Cap	Brown	-	3.35
Code	PG	Disc	Fixing Buttons	Colour	Length	Price £
76414	045	761	6mm Standard Fixing Buttons - Pack of 10	White	-	12.20
76567	045	761	10mm Super Fixing Buttons - Pack of 10	White	-	15.23
76569	045	761	10mm Super Fixing Buttons - Pack of 10	Brown	-	15.23
76568	045	761	16mm Super Fixing Buttons - Pack of 10	White	-	15.23
76570	045	761	16mm Super Fixing Buttons - Pack of 10	Brown	-	15.23
BVUT	045	761	25mm Super Fixing Buttons - Pack of 10	White	-	15.79
BHUP	045	761	25mm Super Fixing Buttons - Pack of 10	Brown	-	15.79
Code	PG	Disc	Tapes & Sealant	Colour	Length mm	Price £
BSTP	045	761	10/16mm Breather Tape (38mm x 10m)	Blue	10,000	24.05
BMNO	045	761	10/16mm Aluminium Sealing Tape (38mm x 10m)	Alumin.	10,000	5.17
BVTP	045	761	25mm Breather Tape (45mm x 10m)	Blue	10,000	28.14
BZOP	045	761	25mm Aluminium Sealing Tape (45mm x 10m)	Alumin.	10,000	6.10
76585	045	761	Flashing Tape (225mm x 10m)	Grey	10,000	55.57
76590	045	761	Low Modulus Silicone Sealant (310ml)	White	-	10.14



# Self supporting roofing system



A professionally engineered **Self Supporting Roofing System** which free-spans 4.0m and accommodates 16mm, 25mm and 35mm Corotherm Multiwall Polycarbonate Roofing sheets (pg 20-33).

- Professionally engineered
- Innovative design
- Accommodates 16, 25 & 35mm sheet
- Easy to install
- Low maintenance

## APPLICATIONS

- > Car Ports
- > Canopies
- > Conservatories
- > Replacement Roofing



Designed with flexibility in mind, this lean to roofing system is suitable for a wide variety of applications. Easy to install and available in a range of sizes - the Self Supporting Roofing System is the tradesman's choice.

## Self Supporting Posts

Code	PG	Disc	Product Description	Colour	Price £
SSGP2	046	920	Self Supporting Goal Posts 2.5m (pack of 2)	White	259.53

## \*Intermediate Bars

### Aluminium Glazing Bar with co-extruded PVC underclad and top capping

Code	PG	Disc	Product Description	Colour	Price £
SSBI25	046	920	2.5m Intermediate Bar	White	116.70
SSBI30	046	920	3.0m Intermediate Bar	White	139.98
SSBI35	046	920	3.5m Intermediate Bar	White	162.89
SSBI40	046	920	4.0m Intermediate Bar	White	186.65

\*End caps included

## \*End Bars

### Aluminium Glazing Bar with co-extruded PVC underclad and top capping

Code	PG	Disc	Product Description	Colour	Price £
SSBE25	046	920	2.5m End Bars	White	116.69
SSBE30	046	920	3.0m End Bars	White	139.98
SSBE35	046	920	3.5m End Bars	White	163.34
SSBE40	046	920	4.0m End Bars	White	186.65

\*End caps included

## End Caps

Code	PG	Disc	Product Description	Colour	Price £
SSEC	046	920	Bar End Caps	White	14.42

## Wall Plates - Aluminium Wall Plate with PVC underclad and flashing

Code	PG	Disc	Product Description	Colour	Price £
SSBW30	046	920	3.0m Wall Plate	White	216.23
SSBW40	046	920	4.0m Wall Plate	White	288.30
SSBW50	046	920	5.0m Wall Plate	White	360.38

## Standard Eaves Beam - Aluminium Eaves Beam with PVC Cladding

Code	PG	Disc	Product Description	Colour	Price £
SSEB3	046	920	3.0m Standard Eaves Beam	White	207.12
SSEB4	046	920	4.0m Standard Eaves Beam	White	229.80
SSEBC	046	920	Standard Eaves Beam Connector	White	11.37

# Corotherm Cut to Size Service

## The Ultimate Roofpack Service



Bespoke polycarbonate cutting service to exact size requirements. Optimises polycarbonate sheet for cutting, zero wastage.

- Zero wastage from cutting
- Pay only for the sheet you need
- 3 day delivery service
- Sheets supplied taped with foil & breather tape
- Professional service & support

Download the Order Form at [www.arielplastics.com](http://www.arielplastics.com)  
Please fax completed form to: Fax: 01246 561111  
or Email: [sales@arielplastics.com](mailto:sales@arielplastics.com) for a quotation.



### HOW TO ORDER

- > Decide on your project requirements for polycarbonate sheet and accessories.
- > Download your Cut to Size form and complete order and delivery details.
- > Place your order with your Ariel merchant and pay in store.
- > The merchant will send the order to Ariel Plastics on your behalf.
- > Your order will be delivered in 3 days from Ariel receiving the order.



**Corotherm Multiwall Polycarbonate**

Code	PG	Disc	Product Description	Thickness mm	Tint	Sqm Price £
BMR10C	050	952	Corotherm Multiwall Sheet	10	Clear	20.19
BMR10B	050	952	Corotherm Multiwall Sheet	10	Bronze	20.19
BMR10O	050	952	Corotherm Multiwall Sheet	10	Opal	20.19
BMR16C	050	953	Corotherm Multiwall Sheet	16	Clear	32.13
BMR16B	050	953	Corotherm Multiwall Sheet	16	Bronze	32.13
BMR16O	050	953	Corotherm Multiwall Sheet	16	Opal	32.13
BMR25C	050	954	Corotherm Multiwall Sheet	25	Clear	40.40
BMR25B	050	954	Corotherm Multiwall Sheet	25	Bronze	40.40
BMR25O	050	954	Corotherm Multiwall Sheet	25	Opal	40.40
BMR25BO	050	954	Corotherm Multiwall Sheet	25	Bronze Opal	46.54
BMR25HO	050	954	Corotherm Multiwall Sheet	25	Heatguard Opal	46.54
BMR35C7	050	955	Corotherm Multiwall Sheet	35	Clear	46.38
BMR35B7	050	955	Corotherm Multiwall Sheet	35	Bronze	46.38
BMR35O7	050	955	Corotherm Multiwall Sheet	35	Opal	46.38
BMR35BO7	050	955	Corotherm Multiwall Sheet	35	Bronze Opal	53.39
BMR35HO7	050	955	Corotherm Multiwall Sheet	35mm	Heatguard Opal	53.39

**Self Supporting Roof (suitable for 16, 25 & 35mm sheet)**

Code	PG	Disc	Product Description	Colour	Price £
BMSSGP2	050	951	Self supporting goal posts (2)	White	259.53
BMSSBI25	050	951	2.5m Intermediate bar	White	116.69
BMSSBI30	050	951	3.0m Intermediate bar	White	139.99
BMSSBI35	050	951	3.5m Intermediate bar	White	162.90
BMSSBI40	050	951	4.0m Intermediate bar	White	186.66
BMSSBE25	050	951	2.5m End bar	White	116.68
BMSSBE30	050	951	3.0m End bar	White	139.99
BMSSBE35	050	951	3.5m End bar	White	163.34
BMSSBE40	050	951	4.0m End bar	White	186.66
BMSSEC	050	951	Bar end caps	White	14.42
BMSSBW30	050	951	3.0m Wall plate	White	216.23
BMSSBW40	050	951	4.0m Wall plate	White	288.31
BMSSBW50	050	951	5.0m Wall plate	White	360.37
BMSSEB3	050	951	3.0m standard eaves beam	White	207.12
BMSSEB4	050	951	4.0m standard eaves beam	White	229.80
BMSSEBC	050	951	Eaves beam connector	White	11.37

**Polycarbonate Accessories (suitable for 10, 16 & 25mm sheet)**

Code	PG	Disc	Product Description	Colour	Length mm	Unit Price £
BMBHPO	050	950	Glazing bar cap and base with end cap	White	3000	55.47
BMBHPR	050	950	Glazing bar cap and base with end cap	White	4000	73.43
BMBHOR	050	950	Glazing bar cap and base with end cap	White	6000	109.53
BMBJOP	050	950	Glazing bar cap and base with end cap	Brown	3000	57.60
BMBYTO	050	950	Glazing bar cap and base with end cap	Brown	4000	76.35
BMBGTY	050	950	Glazing bar cap and base with end cap	Brown	6000	113.57
BMBEFT	050	950	Glazing bar end cap	White	-	2.24
BMBUZZ	050	950	Glazing bar end cap	Brown	-	3.35

**Side Flashing**

Code	PG	Disc	Product Description	Width	Colour	Length mm	Price £
BM76112	050	950	10mm Side Flashing	10mm	White	3000	13.68
BM76113	050	950	10mm Side Flashing	10mm	White	4000	18.22
BM76346	050	950	10mm Side Flashing	10mm	White	6000	27.33
BM76342	050	950	10mm Side Flashing	10mm	Brown	3000	17.12
BM76343	050	950	10mm Side Flashing	10mm	Brown	4000	22.77
BM76466	050	950	10mm Side Flashing	10mm	Brown	6000	34.17
BM76114	050	950	16mm Side Flashing	16mm	White	3000	13.68
BM76115	050	950	16mm Side Flashing	16mm	White	4000	18.22
BM76341	050	950	16mm Side Flashing	16mm	White	6000	27.33
BM76463	050	950	16mm Side Flashing	16mm	Brown	3000	17.12
BM76464	050	950	16mm Side Flashing	16mm	Brown	4000	22.77
BM76465	050	950	16mm Side Flashing	16mm	Brown	6000	34.17
BMBCOS	050	950	25mm Side Flashing	25mm	White	3000	20.90
BMBMOJ	050	950	25mm Side Flashing	25mm	White	4000	27.73
BMBGVV	050	950	25mm Side Flashing	25mm	White	6000	41.40
BMBYKZ	050	950	25mm Side Flashing	25mm	Brown	3000	22.77
BMBHSS	050	950	25mm Side Flashing	25mm	Brown	4000	30.40
BMBPWP	050	950	25mm Side Flashing	25mm	Brown	6000	45.45

## Tapes

Code	PG	Disc	Product Description	Price £
BM76585	050	950	Flashing tape 225mm x 10m Grey	55.57
BMBT16/10	050	950	10/16mm Breather tape 38mm x 10m	24.05
BMBT25/10	050	950	Breather tape 45mm x 10m	28.14

## End Caps & Fixing Buttons

Code	PG	Disc	Product Description	Price £
BMSEC10W	050	950	10mm end closure white 2.1m	6.17
BMSEC10B	050	950	10mm end closure brown 2.1m	7.83
BMS16W	050	950	16mm end closure white 2.1m	6.17
BMS16B	050	950	16mm end closure brown 2.1m	7.83
BMB25W	050	950	25mm end closure white 3.5m	14.52
BMB25B	050	950	25mm end closure brown 3.5m	15.99
BM76567	050	950	10mm super fixing buttons white - Pack of 10	15.23
BM76569	050	950	10mm super fixing buttons brown - Pack of 10	15.23
BM76568	050	950	16mm super fixing buttons white - Pack of 10	15.23
BM76570	050	950	16mm super fixing buttons brown - Pack of 10	15.23
BMBVUT	050	950	25mm super fixing buttons white - Pack of 10	15.79
BMBHUP	050	950	25mm super fixing buttons brown - Pack of 10	15.79



Download the Order Form at [www.arielplastics.com](http://www.arielplastics.com)  
Please fax completed form to: Fax: 01246 561111 or Email: [sales@arielplastics.com](mailto:sales@arielplastics.com) for a quotation.

**ariel**  
Cut to size

TEL: 01246 561111 FAX: 01246 561111  
Email: [sales@arielplastics.com](mailto:sales@arielplastics.com)

**CUT TO SIZE ORDER**

**Billing Address:**  
 Company Name: \_\_\_\_\_  
 Contact Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Tel: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Email: \_\_\_\_\_

**Shipping Address:**  
 Company Name: \_\_\_\_\_  
 Contact Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Tel: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Email: \_\_\_\_\_

**PRINT**

Call to find out more or to request a quotation. Please quote our 24-hour helpline on any forms with a unique order number for faster service and to ensure accuracy.

# Corolite

Corrugated Polycarbonate



## APPLICATIONS

- > Patio Canopies
- > Awnings
- > Greenhouses
- > Carports
- > Gazebos & Pergolas

**Corolite**, corrugated polycarbonate sheet, is a high performance rooflight material with UV protection. With an impact resistance 200 times stronger than glass the robust yet lightweight nature of the product makes it ideal for a range of DIY, horticultural and construction applications where less resilient materials are not an option.

- Bronze tint • Strong and durable
- UV barrier reduces the effect of weathering
- Withstands extremes of temperature  $-40^{\circ}\text{C}$  to  $100^{\circ}\text{C}$
- 10 year light transmission and 3 year weather breakage warranty



### Corolite Iron 10.5/3"

Code	PG	Disc	Product Description	Colour	Width mm	Thickness mm	Length mm	Price £
76912	067	067	Corrugated Polycarbonate Sheet	Bronze	848	0.8	1800	31.17
76914	067	067	Corrugated Polycarbonate Sheet	Bronze	848	0.8	2400	41.56
76916	067	067	Corrugated Polycarbonate Sheet	Bronze	848	0.8	3000	51.94



# Corolite CST

Corrugated Multiwall Polycarbonate



## APPLICATIONS

- > Rooflights
- > Vertical Glazing
- > Screens & Partitions
- > Cladding

The ideal roofing and cladding material, **Corolite CST** polycarbonate sheet provides the durability and impact resistance of corrugated polycarbonate sheet with additional strength and insulation provided by the triplewall structure. Added UV protection provides resistance against the effects of weathering. Can be used with fibre cement sheeting or as a complete roof and wall cladding material.


- Excellent light transmission
- Damage and impact resistant
- Insulating
- Lightweight and easy to handle
- 10 year light transmission and 3 year weather breakage warranty

## Corolite CST

Code	PG	Disc	Product Description	Colour	Width mm	Thickness mm	Length mm	Price £
76004	067	067	Corrugated Triplewall Sheet	Clear	1097	6	1830	76.70
76008	067	067	Corrugated Triplewall Sheet	Clear	1097	6	2440	102.32
76012	067	067	Corrugated Triplewall Sheet	Clear	1097	6	3050	127.89

# Vistalux

Corrugated PVC



Economic, lightweight and easy to install, **Vistalux PVC** is a versatile corrugated rooflight sheet for car ports, canopies and gazebos. It is easy to cut, drill and install with standard DIY tools and is available in a choice of corrugated profiles in clear or translucent tint options.

- Clear or translucent
- Range of profiles
- Sheet weights: Lightweight 0.8mm, Heavy Duty 1.1mm, Superweight 1.3mm
- UV resistant for durability
- Largely self-cleaning
- 10 year warranty


## APPLICATIONS

- > Car Ports
- > Covered Walkways
- > Porches
- > Splash Barriers
- > Cloches & Cold Frames
- > Planhouses
- > Side Cladding



## Vistalux ASB 3"

(matches Asbestos profile)



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
18004	056	180	Lightweight Sheet	0.8	Clear	762	1830/6	13.01
18006	056	180	Lightweight Sheet	0.8	Clear	762	2135/7	15.20
18008	056	180	Lightweight Sheet	0.8	Clear	762	2440/8	17.36
18010	056	180	Lightweight Sheet	0.8	Clear	762	2745/9	19.55
18012	056	180	Lightweight Sheet	0.8	Clear	762	3050/10	21.69
19004	056	190	Heavy Duty Sheet	1.1	Clear	762	1830/6	19.72
19006	056	190	Heavy Duty Sheet	1.1	Clear	762	2135/7	23.00
19008	056	190	Heavy Duty Sheet	1.1	Clear	762	2440/8	26.27
19010	056	190	Heavy Duty Sheet	1.1	Clear	762	2745/9	29.56
19012	056	190	Heavy Duty Sheet	1.1	Clear	762	3050/10	32.84
19016	056	190	Heavy Duty Sheet	1.1	Clear	762	3660/12	39.42
20004	056	200	BS Superweight Sheet	1.3	Clear	762	1830/6	23.39
20006	056	200	BS Superweight Sheet	1.3	Clear	762	2135/7	27.30
20008	056	200	BS Superweight Sheet	1.3	Clear	762	2440/8	31.21
20010	056	200	BS Superweight Sheet	1.3	Clear	762	2745/9	35.11
20012	056	200	BS Superweight Sheet	1.3	Clear	762	3050/10	39.03
20016	056	200	BS Superweight Sheet	1.3	Clear	762	3660/12	46.81

## Vistalux ASB 3" Accessories

Code	PG	Disc	Product Description	Price £
35000	058	350	3" Super Fixings (Pack of 10)	2.28
37001	058	370	3" Wall Flashings Clear PVC 695mm	10.27
39000	058	390	3" Polyethylene Eaves Filler (Pack of 6) 680mm	6.39
ERDP	058	360	3" Adjustable Ridge Clear PVC - 685mm	24.06
36000	058	360	3" Adjustable Ridge Clear PVC - 1090mm wide*	24.06
38011	058	350	Ariel Sealing Strip per 15m	8.46

\*2 pieces required to make 1 metre ridge.



Fixings



Eaves Filler



Flashing




Ridge



Sealing Strip

**Vistalux ASB 6"**

(matches Asbestos profile)




Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
22002	056	220	BS Superweight Sheet	1.3	Clear	1086	1525/5	29.20
22004	056	220	BS Superweight Sheet	1.3	Clear	1086	1830/6	36.74
22006	056	220	BS Superweight Sheet	1.3	Clear	1086	2135/7	42.99
22008	056	220	BS Superweight Sheet	1.3	Clear	1086	2440/8	49.01
22010	056	220	BS Superweight Sheet	1.3	Clear	1086	2745/9	55.23
22012	056	220	BS Superweight Sheet	1.3	Clear	1086	3050/10	61.25
22016	056	220	BS Superweight Sheet	1.3	Clear	1086	3660/12	73.58

**Vistalux ASB 6" Accessories**

Code	PG	Disc	Product Description	Price £
35002	058	350	6" Fixings (Pack of 10)	16.05
76853	058	390	6" Polyethylene Eaves Filler (Pack of 6) 950mm	13.01
38011	058	350	Ariel Sealing Strip per 15m	8.46

**Vistalux Cast Iron 10/3"**


(matches corrugated iron profile)



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
24002	056	250	BS Superweight Sheet	1.3	Clear	812	1525/5	26.20
24004	056	250	BS Superweight Sheet	1.3	Clear	812	1830/6	31.40
24006	056	250	BS Superweight Sheet	1.3	Clear	812	2135/7	36.65
24008	056	250	BS Superweight Sheet	1.3	Clear	812	2440/8	41.90
24010	056	250	BS Superweight Sheet	1.3	Clear	812	2745/9	47.15
24012	056	250	BS Superweight Sheet	1.3	Clear	812	3050/10	52.34
24014	056	250	BS Superweight Sheet	1.3	Clear	812	3355/11	57.59
24016	056	250	BS Superweight Sheet	1.3	Clear	812	3660/12	62.84
24018	056	250	BS Superweight Sheet	1.3	Clear	812	3965/13	68.09
24020	056	250	BS Superweight Sheet	1.3	Clear	812	4270/14	73.29
24022	056	250	BS Superweight Sheet	1.3	Clear	812	4575/15	78.54
24024	056	250	BS Superweight Sheet	1.3	Clear	812	4880/16	83.79
25004	056	250	Heavy Duty Sheet	1.1	Clear	812	1830/6	26.60
25008	056	250	Heavy Duty Sheet	1.1	Clear	812	2440/8	35.46
25012	056	250	Heavy Duty Sheet	1.1	Clear	812	3050/10	44.33
25016	056	250	Heavy Duty Sheet	1.1	Clear	812	3660/12	53.17

## Vistalux Cast Iron 8/3"


(matches corrugated iron profile)



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
21004	056	210	Heavy Duty Sheet	1.1	Clear	660	1830/6	19.72
21008	056	210	Heavy Duty Sheet	1.1	Clear	660	2440/8	26.27
21012	056	210	Heavy Duty Sheet	1.1	Clear	660	3050/10	32.84


For details of accessories please contact sales@arielplastics.com

## Corolux 77/20 profile



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm	Price £
08504	055	85	Lightweight Sheet	0.8	Clear	660	1800	15.05
08508	055	85	Lightweight Sheet	0.8	Clear	660	2400	20.02
08512	055	85	Lightweight Sheet	0.8	Clear	660	3000	25.03

## Corolux Miniature Profile



Code	PG	Disc	Product Description	Thickness mm	Colour	Width mm	Length mm/ft	Price £
11004	055	110	Lightweight Sheet	0.8	Translucent	662	1830/6	9.10
11008	055	110	Lightweight Sheet	0.8	Translucent	662	2440/8	12.13
11012	055	110	Lightweight Sheet	0.8	Translucent	662	3050/10	15.19
12004	055	120	Lightweight Sheet	0.8	Clear	662	1830/6	12.13
12008	055	120	Lightweight Sheet	0.8	Clear	662	2440/8	16.21
12012	055	120	Lightweight Sheet	0.8	Clear	662	3050/10	20.23


## Corolux Miniature Profile Accessories

Code	PG	Disc	Product Description	Price £
34000	058	340	Miniature Profile Fixings (Pack of 10)	0.65
37002	058	370	Mini Wall Flashings Clear PVC 710mm	9.68
39002	058	390	Miniature Polyethylene Eaves Filler (Pack of 6) 690mm	4.35
38011	058	350	Ariel Sealing Strip per 15m	8.46

# Coroline

Corrugated Bituminous Roofing Sheet

# Onduline



Environmentally friendly roofing options, **Coroline** and **Onduline** corrugated bitumen sheets are tough, lightweight roofing and cladding materials made from bitumen saturated organic fibres. Coroline is 2.6mm thick and Onduline is 3mm thick.

- Economical
- Resilient
- Environmentally friendly
- Guaranteed waterproof for 15 years\*
- Simple to fix
- High insulation & sound absorbency values
- Compatible with most commercially available construction materials

\*When fitted to manufacturers instructions

## APPLICATIONS

- > Garden Sheds
- > Garages
- > Stables
- > Agricultural Buildings



PROPERTIES	COROLINE	ONDULINE MINI	ONDULINE
Sheet Size	2000mm x 950mm	2000mm x 866mm	2000mm x 950mm
Cover Width	855mm	768mm	855mm
Thickness	2.6mm	2.6mm	3mm
Sheet Weight	5.6kg	5.8 kg	6.4kg
Material Weight	2.9kg/m <sup>2</sup>	3.4kg/m <sup>2</sup>	3.3kg/m <sup>2</sup>
Corrugation	38mm height 95mm width	24mm height 48mm width	38mm height 95mm width



### Corrugated Bitumen (Sheet thickness 2.6mm)

Code	PG	Disc	Product Description	Colour	Length mm	Price £
CBS	060	740	Coroline Sheet - 950mm width	Black	2000	14.73
CBR	060	740	Ridge - 1000mm width	Black	-	7.56
74502	060	740	Fixings - Pack of 20	Black	-	2.00
74503	060	740	Fixings - Pack of 400	Black	-	35.09
CGS	060	740	Coroline Sheet - 950mm width	Green	2000	19.12
CGR	060	740	Ridge - 1000mm width	Green	-	9.13
74522	060	740	Fixings - Pack of 20	Green	-	2.00
74523	060	740	Fixings - Pack of 400	Green	-	35.09
CRS	060	740	Coroline Sheet - 950mm width	Red	2000	19.12
CRR	060	740	Ridge - 1000mm width	Red	-	9.13
74512	060	740	Fixings - Pack of 20	Red	-	2.00
74513	060	740	Fixings - Pack of 400	Red	-	35.09
CBRS	060	740	Coroline Sheet - 950mm width	Brown	2000	19.12
CBRR	060	740	Ridge - 1000mm width	Brown	-	9.13
74512	060	740	Fixings - Pack of 20	Brown	-	2.00
74513	060	740	Fixings - Pack of 400	Brown	-	35.09
74575	060	740	Coroline Eaves Fillers - 840mm width Pack of 6	-	-	14.41
74200	060	740	PVC Sheet - 950mm width (1.2mm thick)	Translucent	2000	25.05

Coroline Ridges, Eaves Fillers and Translucent sheet can be used with Onduline - Coroline discounts will apply.  
Ridge cover = 875mm





### Corrugated Bitumen (Sheet thickness 3mm)

Code	PG	Disc	Product Description	Colour	Length mm	Price £
OBS	061	570	Onduline Sheet - 950mm width	Black	2000	18.03
OVB	061	570	Verge	Black	1000	10.54
OBF2	061	570	Fixings - Pack of 20	Black	-	1.87
OBF4	061	570	Fixings - Pack of 400	Black	-	31.63
OGS	061	570	Onduline Sheet - 950mm width	Green	2000	24.02
OVG	061	570	Verge	Green	1000	13.09
OGF2	061	570	Fixings - Pack of 20	Green	-	1.87
OGF4	061	570	Fixings - Pack of 400	Green	-	31.63
ORS	061	570	Onduline Sheet - 950mm width	Red	2000	24.02
OVR	061	570	Verge	Red	1000	13.09
ORF2	061	570	Fixings - Pack of 20	Red	-	1.87
ORF4	061	570	Fixings - Pack of 400	Red	-	31.63
OBRS	061	570	Onduline Sheet - 950mm width	Brown	2000	24.02
OVBR	061	570	Verge	Brown	1000	13.09
OBRF2	061	570	Fixings - Pack of 20	Brown	-	1.87
OBRF4	061	570	Fixings - Pack of 400	Brown	-	31.63

Onduline Verges can be used with Coroline - Onduline discounts will apply.

### Corrugated Bitumen Mini Profile (Sheet thickness 2.6mm)

Code	PG	Disc	Product Description	Colour	Length mm	Price £
CM18B	060	740	Onduline Mini Sheet - 866mm width	Black	2000	16.93
CM18G	060	740	Onduline Mini Sheet - 866mm width	Green	2000	22.58
CMBF2	060	740	Onduline Mini Fixings - pack 20	Black	-	1.84

### Accessories

Code	PG	Disc	Product Description	Colour	Width mm	Price £
OBA	061	570	Apron Flashing	Black	930	23.08
FT150	077	780	Ondutile Eaves Tray	-	1500	3.03
OBG	061	570	Batten Cloaking Piece	-	1220	8.43
OVS	061	570	Ventilator Strip	-	1010	8.08

Verge cover = 875mm

Apron Flashing cover = 846mm

Eaves Tray cover = 1350mm

Batten Cloaking Piece Cover = 1120mm



# Corotile

Lightweight Metal Roofing System



## APPLICATIONS

- > Chalets
- > Play houses
- > Tool sheds
- > Garden offices
- > Stables
- > Garages

**Corotile** is an innovative lightweight metal roofing system which is easy to fit on any size of roof. Its distinct profile and charcoal finish can enhance a wide variety of small building projects, from tool sheds to garden offices.

- Easy to install
- Strong & secure
- Lasts 20+ years
- 15 year guarantee

## Metal Roofing System

Code	PG	Disc	Product Description	Colour	Width mm	Price £
CTPANEL	069	944	Corotile Panel - 1140mm length	Charcoal Grey	860mm	41.31
CTBARGE	069	944	Corotile Barge Covers - 90mm	Charcoal Grey	910mm	29.26
CTRIDGE	069	944	Corotile Ridge - 340mm	Charcoal Grey	910mm	25.63
CTCAP	069	944	Corotile End Cap	Charcoal Grey	-	12.98
CTFIX	069	944	Corotile Screws & Washers (Pk of 10)	Charcoal Grey	-	2.75

# Corozinc

Galvanised Corrugated Sheet




Suitable for roofing and cladding, Ariel's corrugated galvanised roofing sheet is available in the 8/3 profile in a wide selection of lengths. Cover width is 610mm.

- Extremely hardwearing
- Zinc coated on both sides
- Choice of lengths available
- Easy fix using DIY tools

## APPLICATIONS

- > Out Houses
- > Tool Sheds
- > Kennels
- > Garages

Ideal for use on agricultural out buildings, garden buildings and timber frame roofing or cladding projects.



### Corozinc Galvanised Sheet

Code	PG	Disc	Product Description	Width mm	Length mm	Price £
55002	73	025	Galvanised Corrugated 8/3 Roof Sheet	660	1525	24.50
55004	73	025	Galvanised Corrugated 8/3 Roof Sheet	660	1830	29.40
55006	73	025	Galvanised Corrugated 8/3 Roof Sheet	660	2135	34.30
55008	73	025	Galvanised Corrugated 8/3 Roof Sheet	660	2440	39.20
55010	73	025	Galvanised Corrugated 8/3 Roof Sheet	660	2745	44.10
55012	73	025	Galvanised Corrugated 8/3 Roof Sheet	660	3050	49.00
55016	73	025	Galvanised Corrugated 8/3 Roof Sheet	660	3660	58.80
55052	73	025	Galvanised Corrugated 8/3 Angle 105°	145	3000	41.55
55054	73	025	Galvanised Corrugated 8/3 Barge 90°	145	3000	41.55
55056	73	025	Galvanised Corrugated 8/3 Ridge 145°	145	3000	41.55
55058	73	025	Galvanised Corrugated Fixings (100pk)	-	60	31.25


### NOTE

It is advisable when fitting roof sheets to ensure that they are overlapping by at least one corrugation and to work from left to right on a building when installing.



# Coroshingle

Roofing Shingles



Ideal for use on domestic buildings, garden buildings and timber frame roofing projects, **Coroshingle Roofing Shingles** are manufactured from high quality materials, using the latest production technology to produce an attractive, durable and weatherable roof finish.


- Durable and hardwearing
- Environmentally friendly
- Guaranteed waterproof for 10 years
- Choice of colours
- Easy fix using DIY tools

## APPLICATIONS

- > Play Houses
- > Tool Sheds
- > Kennels
- > Garden Rooms
- > Summer Houses



Ideal for use on domestic buildings, garden buildings and timber frame roofing projects.



**Coroshingle Shingle Tile**

Code	PG	Disc	Product Description	Colour	Width mm	Length mm	Price £
CGSH2	068	642	Roofing Shingles (2m <sup>2</sup> per pack)	Green	340	1000	37.00
CGDS225	068	642	Coroshingle Detail Strip Roll	Green	300	7500	29.80
CRSH2	068	642	Roofing Shingles (2m <sup>2</sup> per pack)	Red	340	1000	37.00
CRDS225	068	642	Coroshingle Detail Strip Roll	Red	300	7500	29.80
CSSH2	068	642	Roofing Shingles (2m <sup>2</sup> per pack)	Slate	340	1000	37.00
CSDS225	068	642	Coroshingle Detail Strip Roll	Slate	300	7500	29.80

SLATE



RED



GREEN



# Farmlite

GRP Sheet



Developed to withstand challenging agricultural environments, **Farmlite GRP rooflight and cladding sheets** with anti-yellowing technology remain more translucent, durable and longer lasting. The dual action UV surface protection and inbuilt UV stabilised resin system act to safeguard Farmlite rooflights against surface erosion for a working sheet life in excess of 25 years, whilst preventing significant yellowing for at least 20 years.

## APPLICATIONS

- > Barns
- > Storage Sheds
- > Milking Parlours
- > Stables
- > Animal Sheds
- > Farm Shops
- > Equestrian Buildings






Ideal for use on agricultural buildings, storage facilities or workshops.

## 6" Farmlite GRP

Code	PG	Disc	Product Description	Width mm	Length mm/ft	Price £
81054	042	830	Farmlite GRP Sheet Standard 6"	1086	1830/6	43.69
81059	042	830	Farmlite GRP Sheet Standard 6"	1086	2440/8	58.22
81063	042	830	Farmlite GRP Sheet Standard 6"	1086	3050/10	72.80

- Protection from yellowing
- Long term quality light transmission
- Superior strength; Enhanced durability
- Sheet life of 25 years+
- Fire rating SAB Class 3
- Sheet Weight 2.44kg/m<sup>2</sup>



## Rooflights after 10 years weathering\*



\*Representation of results of QUV weathering tests following 2,000 hours of weathering

# Flat Glazing



Ariel Plastics offer an extensive range of **flat glazing** options in clear polycarbonate sheet, acrylic sheet and polystyrene sheet for a range of applications. Polycarbonate and acrylic offer UV Protection.

PROPERTIES	COROTHERM FLAT	LITEGLAZE	STYRENE
Impact Resistance	Exceptional 200 times that of glass	Good 7 times that of glass	Good 5 times that of glass
Suitable for exterior use	Yes	Yes	No
Optical Clarity	Good	Good	Good
Light Transmission	92%	92%	92%
Material Weight	2.4kg/m <sup>2</sup>	2.38kg/m <sup>2</sup>	2.1kg/m <sup>2</sup>

- Acrylic Sheet Exterior
- Polystyrene Sheet Interior Grade
- Solid Polycarbonate Sheet



## Options in Acrylic, Polycarbonate and Styrene

# Liteglaze

Clear Acrylic Sheet Exterior Grade

INTERIOR &  
EXTERIOR USE

### FEATURES

- Safer & stronger than glass
- Easily transportable
- Light in weight
- UV resistant
- Flexible
- Suitable for interior & exterior use

### APPLICATIONS

- > Secondary Double Glazing
- > Replacement Windows (Planhouses & Sheds)
- > Cloches & Coldframes
- > Room Dividers
- > Display Cases & Door Panels

# Styrene

Clear Polystyrene Sheet

INTERIOR  
USE ONLY

### FEATURES

- Safer & stronger than glass
- Easily transportable
- Light in weight
- Economical
- Suitable for interior use only

### APPLICATIONS

- > Splashbacks & Wallpaper Protection
- > Display Cases & Cupboard Fronts
- > Room Dividers
- > Interior Door Panels
- > Lightweight Shelving
- > Picture Framing

# Corotherm Flat

Solid Polycarbonate Sheet

INTERIOR &  
EXTERIOR USE

### FEATURES

- Very high impact resistant
- Much safer than glass
- Flexible
- High light transmission
- UV resistant
- Suitable for interior & exterior use
- Class 1 fire rating

### APPLICATIONS

- > Primary Glazing
- > Secondary Glazing
- > Areas Where Security is Vital
- > Where Vandalism is Possible
- > Screen Guards & Visors

# Corotherm Flat

## Flat Polycarbonate Sheet Range

UV Protected both sides. Suitable for interior and exterior use.

Code	PG	Disc	Product Description	Thickness mm	Width mm	Length mm	Price £
76889	063	760	Polycarbonate Sheet	4	1220	1830	187.24
76887	063	760	Polycarbonate Sheet	4	1220	2440	249.66
76890	063	760	Polycarbonate Sheet	6	1220	1830	280.49
76886	063	760	Polycarbonate Sheet	6	1220	2440	373.98

# Liteglaze

## Acrylic Sheet Range

UV Protected both sides. Suitable for interior and exterior use.

Code	PG	Disc	Product Description	Thickness mm	Width mm	Length mm	Price £
66000	064	660	Acrylic Sheet	2	600	1200	29.27
66002	064	660	Acrylic Sheet	2	600	1800	43.91
66001	064	660	Acrylic Sheet	2	1200	1200	58.52
66003	064	660	Acrylic Sheet	2	1200	1800	87.81
66004	064	660	Acrylic Sheet	2	1200	2400	117.07
66025	064	660	Acrylic Sheet	4	600	1200	58.52
66032	064	660	Acrylic Sheet	4	600	1800	88.29
66021	064	660	Acrylic Sheet	4	1200	1200	117.07
66019	064	660	Acrylic Sheet	4	1200	1800	175.57
66031	064	660	Acrylic Sheet	4	1200	2400	234.11
66040	064	660	Acrylic Sheet	6	600	1200	75.99
66043	064	660	Acrylic Sheet	6	900	1200	113.98
66046	064	660	Acrylic Sheet	6	600	1800	125.37
76711	064	660	Liteglaze Glazing Strip	-	-	1830	7.46



### Clear Polystyrene Sheet Standard Range - Only suitable for interior use.

Code	PG	Disc	Product Description	Thickness mm	Width mm	Length mm	Price £
64120	065	645	Polystyrene Sheet	2	600	1200	18.58
64122	065	645	Polystyrene Sheet	2	600	1800	27.84
64121	065	645	Polystyrene Sheet	2	900	1200	27.84
64124	065	645	Polystyrene Sheet	2	1200	1200	37.13
64125	065	645	Polystyrene Sheet	2	1200	1800	55.69
64126	065	645	Polystyrene Sheet	2	1200	2400	74.24
64130	065	645	Polystyrene Sheet	4	600	1200	34.96
64133	065	645	Polystyrene Sheet	4	600	1800	52.41
64131	065	645	Polystyrene Sheet	4	900	1200	52.41
64132	065	645	Polystyrene Sheet	4	1200	1200	69.86
64134	065	645	Polystyrene Sheet	4	1200	1800	104.80
64136	065	645	Polystyrene Sheet	4	1200	2400	139.74

### Clear Polystyrene Sheet Imperial Range - Only suitable for interior use.

Code	PG	Disc	Product Description	Thickness mm	Size	Price £
64220	041	645	Polystyrene Sheet	2	2ft x 4ft	19.18
64221	041	645	Polystyrene Sheet	2	3ft x 4ft	28.74
64222	041	645	Polystyrene Sheet	2	4ft x 4ft	38.33
64223	041	645	Polystyrene Sheet	2	2ft x 6ft	28.74
64224	041	645	Polystyrene Sheet	2	6ft x 3ft	43.11
64225	041	645	Polystyrene Sheet	2	6ft x 4ft	57.49
64226	041	645	Polystyrene Sheet	2	8ft x 4ft	76.64
64230	041	645	Polystyrene Sheet	4	2ft x 4ft	36.09
64231	041	645	Polystyrene Sheet	4	3ft x 4ft	54.10
64232	041	645	Polystyrene Sheet	4	4ft x 4ft	72.12
64233	041	645	Polystyrene Sheet	4	2ft x 6ft	54.10
64234	041	645	Polystyrene Sheet	4	3ft x 6ft	81.14
64235	041	645	Polystyrene Sheet	4	4ft x 6ft	108.18
64236	041	645	Polystyrene Sheet	4	4ft x 8ft	144.24

# mardome

Dome Rooflights



## APPLICATIONS

- > Flat roofs of kitchens  
bathrooms and  
extensions

**Mardome rooflights** for flat roofs provide superior style with more choice to improve performance than ever before. With Mardome Hi-Lights and a selection of Trade and Reflex models available for 48hr delivery, unnecessary and inconvenient delays to site can be avoided.

Simply place your order with Ariel Plastics by 2pm and a range of Mardome Trade, Mardome Reflex and Mardome Hi-Lights dome rooflights can be delivered quickly and conveniently to site in 48 hours.

**mardome**trade  
Dome Rooflights


**mardome**ultra  
Dome Rooflights

**mardome**reflex  
Dome Rooflights

**mardome**circular  
Dome Rooflights

**mardome**glass  
Flat Glass Rooflights

**mardome**  
**Hi-Lights**




Clear	Textured	Opal	Bronze
Maximum light transmission and clarity	Combines privacy with high levels of light transmission	Maximised privacy Soft diffused light transmission with reduced solar heat gain	Reduces solar glare and heat gain with a lower light transmission


### Mardome rooflights are available with a range of options:



Single  
Glazed



Double  
Glazed



Triple  
Glazed

- **Sizes:** 450x450mm to 2400x1800mm
- **Dome:** Dome or pyramid
- **Glazing:** Clear, bronze, opal and textured glazing
- **Ventilation:** Trickle, automatic or powered vent
- **Opening:** Manual, powered, powered with rain sensors
- Thermally efficient double, triple and glass options with U values as low as 0.96 W/m<sup>2</sup>K
- Sloped multiwall PVC kerb with 150mm waterproofing termination height as standard
- Direct fix kerb to fit to existing builders upstand
- Up to 33% more glazing than other rooflights
- 20 year warranty

# Product Selector



## 1 Choose a model

### Off the Shelf - Page 64

#### mardome Hi-Lights



The **Hi-Lights range** of Mardome rooflights has been hand-picked to provide a selection of high quality rooflight options in 6 key sizes from 600x600mm to 1200x1200mm, which satisfy the requirements of most projects and will be delivered within 48 hours\* of placing the order.

### Build your own - Page 65

#### mardome*trade* Dome Rooflights




**Mardome Trade** is the base rooflight, offering a competitively priced dome unit with a host of additional extras to satisfy a range of project requirements and budgets. 48 hour delivery available.  
**Page 67**

#### mardome*circular* Dome Rooflights



**Mardome Circular**, as its name suggests is our round glazing unit which is specified for its distinct styling and character. It is available as a glazing only option or complete with a strong and robust GRP kerb.  
**Page 69**

#### mardome*reflex* Dome Rooflights




**Mardome Reflex** is a glazing only unit designed specifically for refurbishment projects where the glazing only needs to be replaced and can be easily fixed to existing kerbs or upstands. The unit is supplied with a fixing kit including weathertight washers and cover plugs.  
**Page 69**

#### mardome*ultra* Dome Rooflights




**Mardome Ultra** is the premium dome rooflight. The architecturally inspired Ultra delivers maximum security with a modern aluminium frame and concealed tamper proof fixings. It can be powder coated to standard RAL colours on request.  
**Page 65**

## 2 Dome & Kerb Sizes



A. Mardome  
Trade/Ultra with Kerb



B. Mardome  
Trade/Ultra  
For builders upstand

When Mardome is to be supplied with a kerb, measure overall dimensions of the opening (length x width). When Mardome is to suit a builders upstand, measure the external dimensions of the upstand (length x width).

Standard roof opening sizes are detailed in this brochure. All domes in the Mardome range can also be specified to be fixed directly to an existing builders upstand, where necessary being supplied with a 'direct fix' adaptor. (eg for Ultra, ventilated or opening units).

An optional Mardome kerb adaptor enables standard size domes to be fitted to non-standard size upstands.

## 3 Thermal Performance

To achieve varying degrees of insulation Mardomes are available in single, double and triple skin polycarbonate glazed units. Options to further improve thermal efficiency include glass inner glazing. An average U-value for the rooflight area of 2.2 W/m<sup>2</sup>K is required to satisfy Part L Building Regulations 2013. To assist compliance with Part L, Ariel Plastics recommend installing no less than triple skin glazed rooflights.

### Thermal Efficiency

Material	U-value: centre pane
Double Skin Polycarbonate	2.7 W/m <sup>2</sup> K
Triple Skin Polycarbonate	1.8 W/m <sup>2</sup> K

Centre pane U-value is a measure of the thermal efficiency of the glazing type.


## 4 Glazing

All Mardome rooflights are glazed with an outer skin of impact resistant Marlon FSX Longlife UV protected polycarbonate. This outer skin glazing is available in a dome or pyramid shape. Select from clear, bronze and opal tints.

See page 61 for glazing overview.

## 5 Ventilation and Opening Options


- Manual opening with extension pole
- Powered opening
- Powered opening with RF remote control handset
- Powered opening with RF remote control handset and rain sensor
- Trickle vents
- Automatic vents




# mardome Hi-Lights

SELECTED RANGE OF MARDOME ROOFLIGHTS

**Part L Compliant Triple Glazed Mardome** with PVC kerb providing 150mm waterproofing termination height

		Rooflight Size = finished roof opening size					
		600 x 600mm	600 x 900mm	750 x 750mm	900 x 900mm	1050 x 1050mm	1200 x 1200mm
<b>Triple Glazed Mardome with PVC Kerb</b>	Price	£281	£352	£352	£406	£464	£594
	Code	M013	M014	M015	M016	M017	M018
<b>Triple Glazed Opening Mardome with PVC Kerb</b>	Price	£413	£515	£502	£575	£640	£930
	Code	M019	M020	M021	M022	M023	M024

**Double Glazed Mardome** with PVC kerb providing 150mm waterproofing termination height

		Rooflight Size = finished roof opening size					
		600 x 600mm	600 x 900mm	750 x 750mm	900 x 900mm	1050 x 1050mm	1200 x 1200mm
<b>Double Glazed Mardome with PVC Kerb</b>	Price	£216	£273	£271	£314	£360	£456
	Code	M001	M002	M003	M004	M005	M006
<b>Double Glazed Opening Mardome with PVC Kerb</b>	Price	£381	£477	£459	£529	£584	£845
	Code	M007	M008	M009	M010	M011	M012

**Direct Fix Mardome** without Kerb

		Rooflight Size = external upstand distance					
		600 x 600mm	600 x 900mm	750 x 750mm	900 x 900mm	1050 x 1050mm	1200 x 1200mm
<b>Direct Fix Mardome Single Glazed</b>	Price	£107	£132	£134	£153	£179	£229
	Code	M025	M026	M027	M028	M029	M030
<b>Direct Fix Mardome Double Glazed</b>	Price	£139	£170	£177	£200	£234	£315
	Code	M031	M032	M033	M034	M035	M036
<b>Direct Fix Mardome Triple Glazed</b>	Price	£203	£249	£258	£291	£337	£453
	Code	M037	M038	M039	M040	M041	M042







**Mardome Ultra powered opening options**  
(add to cost of manual opening unit)

Size mm	Powered opening	Powered opening with remote	Powered opening with remote & rain sensor	Access Hatch
600 x 600	130	348	419	-
600 x 900	154	411	495	-
600 x 1200	348	605	689	-
600x1500	348	605	689	-
750 x 750	141	377	454	-
750 x 900	154	411	495	-
900 x 900	154	411	495	65
900 x 1200	348	605	689	no charge
900 x 1800	348	605	689	no charge
1050 x 1050	154	411	495	65
1050 x 1500	348	605	689	no charge
1200 x 1200	348	605	689	no charge
1200 x 1500	348	605	689	-
1200 x 1800	348	605	689	-
1200 x 2400	-	-	-	-
1350 x 1350	348	605	689	-

Mardome Ultra has a silver anodized frame as standard. This frame is available powder-coated in standard RAL colours. Price on request.

When ordering please stipulate whether you require single, double or triple skin rooflights and which tint you require. Quad skin Mardome rooflights also available, prices on application. All prices quoted are for dome shaped Mardomes. Pyramid shaped Mardomes also available, price on application. Telescopic opening poles are required for manual opening units, refer to page 69.

All Mardomes available in Clear, Opal, Bronze and Textured polycarbonate as the outer skin (single skin Mardomes only available in clear).

Some larger Mardomes may have extended lead-times - please contact sales office for details.

A Builders Kerb Adapter is used to adapt a non-standard size builders upstand to accommodate a standard size Mardome. Price on application.

**Build your own** Mardome  
Trade from the selection  
of options available.



**mardome**trade  
Dome Rooflights

## Mardome Trade Range

(Prices in red available for 48hr delivery)

Size mm	TRADE FIXED ROOFLIGHTS									MANUAL OPENING TRADE ROOFLIGHTS					
	With PVC Kerb			To Fit Builders Upstand						Trade with PVC Kerb			To Fit Builders Upstand		
	Glazing Skin			Unvented			Vented			Glazing Skin			Glazing Skin		
	x3	x2	x1	x3	x2	x1	x3	x2	x1	x3	x2	x1	x3	x2	x1
600 x 600	281	216	185	203	139	107	282	217	185	413	381	349	389	357	325
600 x 900	352	273	235	249	170	132	350	271	233	515	477	440	484	446	409
600 x 1200	441	342	289	323	224	171	436	337	284	764	711	659	731	678	625
600 x 1500	705	536	417	575	407	288	697	529	410	1,035	916	796	998	879	760
750 x 750	352	271	229	258	177	134	350	270	227	502	459	416	473	430	388
750 x 900	392	302	255	283	193	146	389	299	252	558	511	465	526	479	432
900 x 900	406	314	268	291	200	153	401	310	263	575	529	482	542	495	448
900 x 1200	578	444	358	449	314	229	571	436	350	908	823	737	872	786	701
900 x 1800	780	576	436	625	421	281	767	563	423	1,133	993	853	1,091	951	811
1050 x 1050	464	360	305	337	234	179	456	353	297	640	584	529	603	548	492
1050 x 1500	734	561	442	587	414	295	722	549	430	1,074	955	836	1,033	914	795
1200 x 1200	594	456	370	453	315	229	583	446	360	930	845	759	891	806	720
1200 x 1500	742	567	448	589	415	296	729	554	435	1,085	966	847	1,043	924	805
1200 x 1800	879	646	480	712	479	313	863	630	464	1,238	1,072	907	1,193	1,028	862
1200 x 2400	1,166	839	586	976	650	396	1,145	818	565	-	-	-	-	-	-
1350 x 1350	735	561	442	583	409	290	722	548	429	1,079	960	840	1,037	918	799
1500 x 1500	763	586	466	599	422	303	747	570	451	-	-	-	-	-	-
1800 x 1800	1,047	764	554	857	574	365	1,026	743	533	-	-	-	-	-	-
Options															
Man. Vent	29	29	29	-	-	-	incl	incl	incl	29	29	29	29	29	29
Auto Vent	108	108	108	-	-	-	79	79	79	108	108	108	108	108	108

### Mardome Trade powered opening options

(add to cost of manual opening unit)

Size mm	Powered opening	Powered opening with remote	Powered opening with remote & rain sensor	Access Hatch
600 x 600	130	348	419	-
600 x 900	154	411	495	-
600 x 1200	348	605	689	-
600x1500	348	605	689	-
750 x 750	141	377	454	-
750 x 900	154	411	495	-
900 x 900	154	411	495	65
900 x 1200	348	605	689	no charge
900 x 1800	348	605	689	no charge
1050 x 1050	154	411	495	65
1050 x 1500	348	605	689	no charge
1200 x 1200	348	605	689	no charge
1200 x 1500	348	605	689	-
1200 x 1800	348	605	689	-
1200 x 2400	-	-	-	-
1350 x 1350	348	605	689	-

When ordering please stipulate whether you require single, double or triple skin rooflights and which tint you require. Quad skin Mardome rooflights also available, prices on application.

All prices quoted are for dome shaped Mardomes. Pyramid shaped Mardomes also available, price on application. Telescopic opening poles are required for manual opening units, refer to page 69.

All Mardomes available in Clear, Opal, Bronze and Textured polycarbonate as the outer skin (single skin Mardomes only available in clear). Some larger Mardomes may have extended lead-times - please contact sales office for details.

A Builders Kerb Adapter is used to adapt a non-standard size builders upstand to accommodate a standard size Mardome. Price on application.

**mardome***reflex*  
Dome Rooflights



## Mardome Reflex Range

(Prices in red available for 48hr delivery)

Size mm	Fixed Reflex Rooflight To Fit Builders Upstand		
	Glazing Skin		
	x3	x2	x1
450 x 450	181	138	106
600 x 600	183	139	107
600 x 900	222	170	132
600 x 1200	302	224	171
600 x 1500	552	407	288
750 x 750	233	177	134
750 x 900	255	193	146
900 x 900	262	200	153
900 x 1200	426	314	229
900 x 1800	597	421	281
1050 x 1050	306	234	179
1050 x 1500	561	414	295
1200 x 1200	427	315	229
1200 x 1500	562	415	296
1200 x 1800	682	479	313
1200 x 2400	942	650	396
1350 x 1350	555	409	290
1500 x 1500	569	422	303
1800 x 1800	823	574	365

See page 2 for 48 hour delivery terms and conditions.

## Mardome Opening Poles

Code	Description	Price £
OP-POLE2M	Mardome 2m Opening Pole	27
OP-POLE3M	Mardome 3m Opening Pole	38

**mardome***circular*  
Dome Rooflights



## Mardome Circular Domes

Diameter	Fixed Reflex Rooflight To Fit Builders Upstand	
	Glazing Skin	
	x3	x2
600mm	453	354
750mm	561	436
900mm	637	499
1050mm	747	581
1200mm	909	688
1350mm	1,026	770
1500mm	1,276	937
1800mm	1,471	1,092

## Mardome Accessories

Size mm	Security Grill
600 x 600	61
600 x 900	84
600 x 1200	100
600 x 1500	115
750 x 750	84
750 x 900	102
900 x 900	115
900 x 1200	142
900 x 1800	203
1050 x 1050	149
1050 x 1500	190
1200 x 1200	183
1200 x 1500	217
1200 x 1800	251
1200 x 2400	325
1350 x 1350	210
1500 x 1500	271
1800 x 1800	366

When ordering please stipulate whether you require single, double or triple skin rooflights and which tint you require. A Builders Kerb Adapter is used to adapt a non-standard size builders upstand to accommodate a standard size Mardome. Price on application.




Featuring an ultra-modern flat glass design, **Mardome Glass** is a thermally efficient double glazed rooflight incorporating a silver anodized aluminium frame (with the option to powder coat), which combines to deliver high end design and the very best standards in security and safety.

Mardome Glass has a silver anodized frame as standard. This frame is available powder coated in standard RAL colours. Price on request.

Additional size, ventilation and opening options available. Price on request

**BENEFITS**

- > Suitable for flat and low pitched roofs of less than 15°.
- > Flexibility with a choice of opening, ventilation, kerb and fixing options.
- > Glass specification is non fragile to CWCT TN92 for overhead glass.
- > Ultra secure with up to a P4A class resistance to burglary and vandalism (P3A- P4A to EN 356) and the glazing frame features a PAS 24:2012 tested secret fix security system when supplied as a non-opening unit on a PVC kerb.
- > Both glazing and sealants demonstrate the ability to withstand thermal shock having undergone rigorous tests simulating repeated heating and cooling cycles to temperature extremes.



**Mardome Glass on Builders Upstand**  
(Unvented, non-opening)

Code	PG	Disc	Product Description	Size mm	Price £
MG001	73	928	Mardome Glass on Builders Upstand	600 x 600	640.00
MG002	73	928	Mardome Glass on Builders Upstand	600 x 900	698.00
MG003	73	928	Mardome Glass on Builders Upstand	750 x 750	707.00
MG004	73	928	Mardome Glass on Builders Upstand	900 x 900	840.00
MG005	73	928	Mardome Glass on Builders Upstand	1050 x 1050	979.00
MG006	73	928	Mardome Glass on Builders Upstand	1200 x 1200	1134.00

**Mardome Glass on 150mm PVC Kerb**

(Unvented, non-opening)



Code	PG	Disc	Product Description	Size mm	Price £
MG007	73	928	Mardome Glass on 150mm PVC Kerb	600 x 600	736.00
MG008	73	928	Mardome Glass on 150mm PVC Kerb	600 x 900	808.00
MG009	73	928	Mardome Glass on 150mm PVC Kerb	750 x 750	816.00
MG010	73	928	Mardome Glass on 150mm PVC Kerb	900 x 900	954.00
MG011	73	928	Mardome Glass on 150mm PVC Kerb	1050 x 1050	1106.00
MG012	73	928	Mardome Glass on 150mm PVC Kerb	1200 x 1200	1274.00

**Mardome Glass on Builders Upstand with Powered Opening**

(Vented, opening)



Code	PG	Disc	Product Description	Size mm	Price £
MG013	73	928	Mardome Glass on Builders Upstand with Powered Opening	600 x 600	1022.00
MG014	73	928	Mardome Glass on Builders Upstand with Powered Opening	600 x 900	1092.00
MG015	73	928	Mardome Glass on Builders Upstand with Powered Opening	750 x 750	1101.00
MG016	73	928	Mardome Glass on Builders Upstand with Powered Opening	900 x 900	1233.00
MG017	73	928	Mardome Glass on Builders Upstand with Powered Opening	1050 x 1050	1753.00
MG018	73	928	Mardome Glass on Builders Upstand with Powered Opening	1200 x 1200	1930.00

**Mardome Glass on 150mm PVC Kerb with Powered Opening**

(Vented, opening)



Code	PG	Disc	Product Description	Size mm	Price £
MG019	73	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	600 x 600	1047.00
MG020	73	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	600 x 900	1120.00
MG021	73	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	750 x 750	1129.00
MG022	73	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	900 x 900	1265.00
MG023	73	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	1050 x 1050	1788.00
MG024	73	928	Mardome Glass on 150mm PVC Kerb with Powered Opening	1200 x 1200	1969.00

# Cladding

PVC Cladding Sheet



This economical range of **PVC cladding sheet** is suitable for wall and ceiling cladding. The premium surface in matt, gloss or satin finish provides a super tough, clinically clean finish.

- White
- Matt, gloss or satin surface finish
- Lightweight and easy to install
- Easy to clean
- Hardwearing
- Excellent fire performance

## APPLICATIONS

- > Out houses
- > Garages
- > Screens & partitions
- > Changing rooms
- > Animal housing

It is impervious to dirt and grime and can be cleaned with most non abrasive cleaning agents.





## PVC Cladding Sheet

Code	PG	Disc	Product Description	Sheet Size mm	Thickness mm	Price £
67003	66	933	Standard Matt Cladding (PVC Foam Board)	595 x 1205	3	10.12
67008	66	933	Standard Matt Cladding (PVC Foam Board)	1220 x 2440	3	40.48
68004	66	933	Standard Matt Cladding (PVC Foam Board)	1220 x 1220	3	20.24
68006	66	933	Premium Gloss Cladding (PVC Foam Board)	610 x 1220	3	21.09
68007	66	933	Premium Gloss Cladding (PVC Foam Board)	1220 x 1220	3	42.18
68008	66	933	Premium Gloss Cladding (PVC Foam Board)	1220 x 2440	3	84.36
69008	66	933	Premium Satin Cladding (Solid PVC Board)	1220 x 2440	2.25	94.08

## PVC Cladding Accessories

Code	PG	Disc	Product Description	Colour	Length mm	Price £
76130	66	933	H-Section Division Bar	White	3000	12.34
76131	66	933	J-Section Starter Trim	White	3000	8.40
76132	66	933	Internal Corner	White	3000	8.14
76133	66	933	External Corner	White	3000	9.71
76134	66	933	H-Section Division Bar Top	White	3000	7.35
76135	66	933	H-Section Division Bar Base	White	3000	8.93

Slight colour variation between cladding sheet and accessories is to be expected.



For the temporary protection of surfaces during construction, building and refurbishment work.

**Covershield Protective Sheet** is a lightweight and extremely strong polypropylene material for the protection of surfaces, fixtures and fittings during construction, building and refurbishment work.

Tough and durable, Covershield is tear, puncture and impact-resistant. At only 2mm in thickness Covershield is also very easy to cut, curve, crease and tape into place to fit a variety of different surfaces. It is this versatility and ease of use which makes Covershield an effective alternative to plywood or other timber products for the temporary protection of stairs, columns, walls, floors, doors and windows.

Covershield is available in both white fire retardant and black recycled options for residential and commercial building use.

- Effective protection for floors, doors, walls, and windows
- Lightweight, strong, waterproof, non-toxic and resistant to chemicals
- Easy to cut, crease and bend
- Available in standard and flame retardant sheets



**APPLICATIONS**

- > Stairs
- > Columns
- > Walls
- > Floors
- > Doors
- > Windows

**Protective Sheet**

Code	PG	Disc	Product Description	Colour	Size (mm)	Thickness (mm)	Price £
SHIELDFR	40	040	Covershield Flame Retardant Flat Protective Sheet	White	1200 x 2400	2mm	9.98
SHIELDSTD	40	040	Covershield Standard Flat Protective Sheet	Black	1200 x 2400	2mm	8.93

# Need a price?

## Get a no obligation quote today!



For a no obligation  
quote on any Ariel product  
please contact our team now

**Tel: 01246 561104**

**Email: [quotes@arielplastics.com](mailto:quotes@arielplastics.com)**



## Visit the all new Ariel website

For the latest product information  
and merchant support

[www.arielplastics.com](http://www.arielplastics.com)

Speedwell Industrial Estate  
Staveley  
Derbyshire  
S43 3JP

Tel: 01246 281111

Fax: 01246 561111

Email: [info@arielplastics.com](mailto:info@arielplastics.com)

**Orderline email:**

**[sales@arielplastics.com](mailto:sales@arielplastics.com)**

Blairlinn Road  
Cumbernauld  
Glasgow  
G67 2TF

Tel: 01236 725536

Fax: 01236 725871

Email: [scotland@arielplastics.com](mailto:scotland@arielplastics.com)



Q09125



All reasonable care has been taken in the compilation of the information contained within this price list. Ariel Plastics reserves the right to amend specifications and prices without prior notice.

All recommendations on the use of our products are made without guarantee as conditions of use are beyond the control of Ariel Plastics. It is the customer's responsibility to ensure that the product is fit for its intended purpose and that the actual conditions of use are suitable.